## ITU

International Telecommunication Union



ISO

International Organisation for Standardization



IEC

International Electrotechical Commission



# GUIDE FOR ITU-T AND ISO/IEC JTC 1 COOPERATION

ANNEX A to WTSC Recommendation A.23

ANNEX K to ISO/IEC JTC 1 Directives

## Contents

## Page

1	Introduction			
	1.1	Purpose		
	1.2	Background		
	1.3	Organization of the Guide		
	1.4	References		
	1.5	Definitions		
	1.6	Abbreviations		
2	Organ	izational structures		
3.	Organ	ization procedures		
	3.1	ITU-T procedures		
	3.2	JTC 1 procedures		
4	Mode	s of cooperation		
	4.1	Introduction		
	4.2	Liaison mode		
	4.3	Collaboration mode		
	4.4	Determining the mode of cooperation		
	4.5	Termination of collaboration and/or common text publication		
5	Planni	Planning and scheduling		
	5.1	Scheduling of SG/WP and SC/WG meetings		
	5.2	Work program coordination		
	5.3	Synchronized maintenance of cooperative work		
6	Liaiso	Liaison procedures		
	6.1	General		
	6.2	Liaison representation		
	6.3	Liaison contributions		
	6.4	Special considerations pertaining to the work of the JTC 1 SGFS		
7	Collaboration using collaborative interchange			
	7.1	Collaborative relationship		
	7.2	Participation in working level meetings		
	7.3	Scheduling		
	7.4	Contributions		
	7.5	Editor for common text		
	7.6	Achieving consensus		
	7.7	Progress reporting		
	7.8	Liaisons		
	7.9	Synchronized approval process		
	7.10	Publication		
	7.11	Defects		
	7.12	Amendments		

i

8	Collabo	pration using a collaborative team	20
	8.1	Collaborative Team	20
	8.2	Convenor(s) and Editor(s)	22
	8.3	Participants	22
	8.4	Meetings	22
	8.5	Contributions	22
	8.6	Achieving consensus	23
	8.7	Progress reporting	24
	8.8	Liaisons	24
	8.9	Synchronized approval process	24
	8.10	Publication	26
	8.11	Defects	26
	8.12	Amendments	27
9	Recogn	ition of cooperation	27
Appen	ndix I –	- Defect report form	28
Appen	ndix II –	- Rules for presentation of ITU-T   ISO/IEC common text	29
Appen	ndix III –	- Listing of common text and technically aligned Recommendations   International Standards (or Technical Reports)	31

## GUIDE FOR ITU-T AND ISO/IEC JTC 1 COOPERATION

## 1 Introduction

#### 1.1 Purpose

This document contains a set of procedures for cooperation between  $ITU-T^{1}$  and ISO/IEC JTC 1. It is written in an informal style, much like a tutorial, to be a practical, educational and insightful reference for both leaders and participants in cooperative work.

#### 1.2 Background

The ITU-T and ISO and IEC have long established cooperative relationships. In recent years, the continued merging of technologies for which these individual organizations have been responsible has resulted in an increasing interdependency of a growing portion of the work programs. This has led, for example, to the creation by ISO and IEC of Joint Technical Committee 1 (JTC 1) on Information Technology. Cooperative arrangements between the ITU-T and ISO/IEC have been growing, see, for example, WTSC Resolutions No. 7 and No. 8 and WTSC Recommendations A.12, A.13, A.20, A.21 and A.22.

In June 1988, an ad hoc group of CCITT and ISO/IEC JTC 1 leaders met to review the then existing situation of cooperation. Recognizing that these cooperative efforts will continue to grow, the ad hoc group felt it would be beneficial to develop and document a set of procedures which builds upon past successes to facilitate future efforts. As a result, an *Informal Guide on CCITT and ISO/IEC JTC 1 Cooperation* was produced.

This Informal Guide recognized that the areas for cooperative work between CCITT and ISO/IEC JTC 1 are a small portion of the total work program of both organizations. Therefore, it was determined that the practical way to achieve successful cooperation is to work within the flexibilities existing within the procedures of each organization rather than to define a fundamentally new framework.

Since that time considerable experience has been gained in the use of the procedures. Consequently, a second meeting of the ad hoc group was held in September 1991 to review and refine the procedures. A draft revised Guide was produced at that meeting and adopted by both CCITT and JTC 1 for interim use, pending formal approval.

The draft revised Guide recognized the value of collaboration between the two organizations in building consensus in areas of common interest and in extending this collaboration to the publication of common text Recommendations and International Standards to better serve the needs of industry and users. Considerable attention was given to defining efficient collaborative procedures that make the best use of resources to produce timely results.

Further revision was made as a result of the formal review and to reflect updated procedures of both organizations. This Guide was adopted by the WTSC and JTC 1 in March 1993.

### **1.3** Organization of the Guide

The remainder of clause 1 provides a listing of useful references, definitions and abbreviations pertinent to ITU-T and JTC 1 cooperation. Clauses 2 and 3 provide tutorial information on the structure and procedures of ITU-T and JTC 1.

The detailed procedures for ITU-T and JTC 1 cooperation are given in clauses 4 through 9 and Appendix I. They supplement, and sometimes repeat for clarity, the basic procedures of each organization (for example, those given in WTSC Resolution No. 1 and in the ISO/IEC Directives for JTC 1) which remain controlling.

<sup>1)</sup> At the Additional Plenipotentiary Conference, Geneva, 1992, major changes were made to the Constitution and Convention of the International Telecommunication Union (ITU). As a consequence, the work formerly done by the CCITT will be carried out in the Telecommunication Standardization Sector of the ITU. The CCITT secretariat has been replaced by the Telecommunication Standardization Bureau. The CCITT Plenary Assembly has been replaced by the World Telecommunication Standardization Conference (WTSC).

Drafting rules for editors to use in the preparation of common text Recommendations | International Standards are specified in Appendix II.

Appendix III provides an informational listing of approved Recommendations and International Standards developed collaboratively and having either common text or technically aligned texts.

#### 1.4 References

#### **1.4.1 ITU-T references**

#### 1.4.1.1 General

Final Acts of the Additional Plenipotentiary Conference, Geneva, 1992

The 1993 ITU-T *White Book* contains the minutes and reports of the 1993 World Telecommunication Standardization Conference and includes a listing of the Study Groups and a listing of the Questions allocated to each Study Group.

Contribution No. 1 of each Study Group contains the detailed text for each Question assigned to the Study Group by the World Telecommunication Standardization Conference.

Catalogue of ITU-T Recommendations [published twice a year].

#### 1.4.1.2 WTSC Resolutions

WTSC Resolutions are adopted by the World Telecommunication Standardization Conference. The latest set is published in the 1993 ITU-T White Book. Seven Resolutions of particular relevance to ITU-T and ISO/IEC JTC 1 cooperation are listed below.

Resolution No. 1: Rules of procedure and working methods of the ITU Telecommunication Standardization Sector

Resolution No. 2: Study Group responsibility and mandates

Resolution No. 3: Publication of ITU-T Recommendations

Resolution No. 4: Identification and layout of Recommendations

Resolution No. 6: Relations with other standardization organizations

Resolution No. 7: Collaboration with the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC)

Resolution No. 8: Cooperation with the IEC on the standardization of cables, wires, optical fibers and waveguides

#### 1.4.1.3 WTSC A-series Recommendations

WTSC A-series Recommendations are adopted by the World Telecommunication Standardization Conference. The latest set is published in the 1993 ITU-T White Book. Seven A-series Recommendations of particular relevance to ITU-T and ISO/IEC JTC 1 cooperation are listed below.

Recommendation A.12: Collaboration with the International Electrotechnical Commission on the subject of definitions for telecommunications

Recommendation A.13: Collaboration with the International Electrotechnical Commission on graphical symbols and diagrams used in telecommunications

Recommendation A.15: Elaboration and presentation of texts for Recommendations of the ITU Telecommunication Standardization Sector

Recommendation A.20: Collaboration with other international organizations over data transmission

Recommendation A.21: Collaboration with other international organizations on CCITT defined telematic services

Recommendation A.22: Collaboration with other international organizations on information technology

Recommendation A.23: Collaboration with other international organizations on information technology, telematic services and data transmission

## 1.4.2 ISO/IEC references

### 1.4.2.1 General

Catalogue of IEC Publications [This annual publication lists all IEC standards issued as of the first day of the year]

IEC Yearbook [This annual publication lists all the Technical Committees and Subcommittees of IEC and, for each, lists the subjects under consideration and the publications prepared]

ISO Catalogue [This annual publication lists all published International Standards and Technical Reports of ISO]

ISO Memento [This annual publication lists all the Technical Committees of ISO and gives their scope and committee structure]

ISO Technical Programme [This semi-annual publication lists the status of all documents that have reached the balloting stage (e.g., CD, DAM, DIS, DTR)]

ISO/IEC Directives - Part 2: Methodology for the development of International Standards

ISO/IEC Directives – Part 3: Drafting and presentation of International Standards

ISO/IEC Directives - Procedures for the technical work of ISO/IEC JTC 1 on Information Technology

### 1.4.2.2 Organization of JTC 1

Each year the JTC 1 Secretariat prepares a report that contains a wealth of useful information about the organization of JTC 1. It includes the members and liaisons of JTC 1, the names and addresses of the officers at the JTC 1 level, the names and addresses of each SC chairman and the supporting secretariat, and a complete listing of all SCs including their Area of Work and all WGs and their Terms of Reference. The most recent edition of this report can be obtained through the JTC 1 secretariat.

### 1.4.2.3 Work of each Subcommittee of JTC 1

Each year a report is prepared by the secretariat of each Subcommittee that gives a wealth of detailed information. Included is information regarding the SC structure, membership, meeting dates, personnel including project editors, and a listing of all projects with target dates. The most recent edition of a Subcommittee report can be obtained through the Subcommittee secretariat.

### 1.5 Definitions

### 1.5.1 ITU-T definitions

Question: Description of an area of work to be studied, normally leading to the production of one or more new or revised Recommendations.

### **1.5.2 ISO/IEC JTC 1 definitions**

Amendment (AMD): A published amendment to an International Standard.

Category A Liaison: An external liaison organization which participates actively in a broad spectrum of work in JTC 1, a JTC 1/SC, or the JTC 1/SGFS.

Committee Draft (CD): Text for a proposed International Standard which has been registered for ballot at the Subcommittee (SC) level.

Draft Amendment (DAM): Text for a proposed amendment to an International Standard which has been submitted for balloting by National Bodies of JTC 1 and ISO/IEC.

Draft International Standard (DIS): Text for a proposed International Standard which has been submitted for balloting by National Bodies of JTC 1 and ISO/IEC.

Draft International Standardized Profile (DISP): Text for a proposed International Standardized Profile which has been submitted for balloting by National Bodies of JTC 1 and ISO/IEC.

Draft Technical Report (DTR): Text for a proposed Technical Report which has been submitted for balloting by National Bodies of JTC 1.

3

Information Technology Task Force (ITTF): A group of individuals from the staffs of the ISO Central Secretariat and the IEC Central Office that provide joint support for the activities of JTC 1.

International Standard: A published ISO/IEC standard.

International Standardized Profile (ISP): A specialized type of standard approved under the procedures adopted for the Special Group on Functional Standardization (SGFS).

New work item Proposal (NP): Text for a proposed item to be added to the program of work which has been registered for ballot at the JTC 1 level.

Proposed Draft Amendment (PDAM): Text for a proposed amendment to an International Standard which has been registered for ballot at the Subcommittee (SC) level.

Proposed Draft International Standardized Profile (PDISP): Text for a proposed International Standardized Profile which has been submitted for formal review prior to processing as a Draft International Standardized Profile.

Proposed Draft Technical Report (PDTR): Text for a proposed Technical Report which has been registered for ballot at the Subcommittee (SC) level.

Technical Report (TR): A document not ready or suitable for issue as an International Standard but valuable for publication in the interests of standardization.

Working Draft (WD): A document pertaining to a work item with a view to leading toward a Committee Draft.

### **1.5.3** ITU-T and JTC 1 cooperation definitions

Collaborative Interchange: A mode of ITU-T and JTC 1 collaboration aimed at producing one or more common text Recommendations | International Standards by means of close liaison and synchronized approval (see clause 7).

Collaborative Team (CT): (1) A mode of ITU-T and JTC 1 collaboration aimed at producing one or more common text Recommendations | International Standards by means of common meetings and synchronized approval (see clause 8); (2) A group composed of individuals from a JTC 1 SC and an ITU-T SG that collaboratively develops common text for one or more Recommendations | International Standards (see clause 8).

Working Level Group: A generic term to refer to a group of individuals in a JTC 1 SC responsible for progressing work on a specific project or a group of individuals in an ITU-T SG responsible for progressing work on a specific Question (see clause 7).

### **1.6** Abbreviations

### **1.6.1 ITU-T abbreviations**

- CCITT International Telegraph and Telephone Consultative Committee
- ITU International Telecommunication Union
- ITU-T International Telecommunication Union Telecommunication Standardization Sector
- SG Study Group
- TSAG Telecommunication Standardization Advisory Group
- TSB Telecommunication Standardization Bureau
- WP Working Party
- WTSC World Telecommunication Standardization Conference

## 1.6.2 ISO/IEC abbreviations

- AMD Amendment
- CD Committee Draft
- DAM Draft Amendment
- DIS Draft International Standard
- DISP Draft International Standardized Profile

DTR	Draft Technical Report
IEC	International Electrotechnical Commission
ISO	International Organization for Standardization
ISP	International Standardized Profile
ITTF	Information Technology Task Force
JTC 1	Joint Technical Committee 1
NP	New Work Item Proposal
PDAM	Proposed Draft Amendment
PDISP	Proposed Draft International Standardized Profile
PDTR	Proposed Draft Technical Report
PICS	Protocol Implementation Conformance Statement
SC	Subcommittee
SGFS	Special Group on Functional Standardization
TR	Technical Report
WD	Working Draft
WG	Working Group

## **1.6.3** ITU-T and JTC 1 cooperation abbreviations

CT Collaborative Team

## 2 Organizational structures

ITU-T and JTC 1 have similar organizational structures for carrying out technical work. The major ITU-T organizational unit is the Study Group (SG) which is comparable to a Subcommittee (SC) within JTC 1. Table 1 lists the fifteen ITU-T Study Groups for the 1993-1996 Study Period. Table 2 lists the eighteen Subcommittees of JTC 1 as of March 1993.

Designation	Title	
SG 1	Service definition	
SG 2	Network operation	
SG 3	Tariff and accounting principles	
SG 4	Network maintenance	
SG 5	Protection against electromagnetic environment effects	
SG 6	Outside plant	
SG 7	Data networks and open system communications	
SG 8	Terminals for telematic services	
SG 9	Television and sound transmission	
SG 10	Languages for telecommunication applications	
SG 11	Switching and signalling	
SG 12	End-to-end transmission performance of networks and terminals	
SG 13	General network aspects	
SG 14	Modems and transmission techniques for data, telegraph and telematic services	
SG 15	Transmission systems and equipment	
NOTE – A brief description of the general work areas of the fifteen Study Groups is contained in Resolution No. 2 of the ITU-T <i>White Book.</i>		

### Table 1 – List of ITU-T Study Groups

### Table 2 – List of ISO/IEC JTC 1 Subcommittees\*

Designation	Title	
SC 1	Vocabulary	
SC 2	Coded Character Sets	
SC 6	Telecommunications and Information Exchange Between Systems	
SC 7	Software Engineering	
SC 11	Flexible Magnetic media for Digital Data Interchange	
SC 14	Data Element Principles	
SC 15	Volume and File Structure	
SC 17	Identification Cards and Related Devices	
SC 18	Document Processing and Related Communication	
SC 21	Open Systems Interconnection, Data Management and Open Distributed Processing	
SC 22	Programming Languages, their Environments and Systems Software Interfaces	
SC 23	Optical Disk Cartridges for Information Interchange	
SC 24	Computer Graphics and Image Processing	
SC 25	Interconnection of Information Technology Equipment	
SC 26	Microprocessor Systems	
SC 27	IT Security Techniques	
SC 28	Office Equipment	
SC 29	Coded Representation of Audio, Picture, Multimedia and Hypermedia Information	
<ul> <li>* Also directly reporting to JTC 1 are:</li> <li>– Special Group on Functional Standardization (SGFS)</li> </ul>		

- Working Group 3 (WG 3) on Open Electronic Data Interchange

- Special Working Group on Procedures (SWG-P)
- Special Working Group on Registration Authorities (SWG-RA)
- Special Working Group on Conformity Assessment (SWG-CA).

NOTE – The area of work for each of these Subcommittees and Groups is contained in the ISO/IEC JTC 1 Secretariat's Report which is produced annually.

At the next lower level, ITU-T Study Groups typically divide their work into a number of Working Parties (WPs), and JTC 1 Subcommittees divide their work into Working Groups (WGs). Both organizations appoint Rapporteurs and Editors to facilitate the carrying out of detailed technical work.

Figure 1 illustrates the ITU-T structure and Figure 2 illustrates the JTC 1 structure, as of March 1993.

## **3** Organization procedures

The procedures for ITU-T and ISO/IEC JTC 1 cooperation make use of the regular procedures of each organization with the addition of some special procedures that achieve needed synchronization. Therefore, the following background material on the procedures of the two organizations forms the basis upon which the cooperative procedures are built. Of particular importance are the approval processes used by the ITU-T and JTC 1; they are contrasted in Figure 3.



### FIGURE 1

Organizational structure of ITU-T

## 3.1 ITU-T procedures

Resolution No. 1 sets forth the basic rules of procedure for the ITU-T. Highlights of this information are summarized below.

The World Telecommunication Standardization Conference meets once every four years. The period between two consecutive Conferences is called a Study Period (e.g., 1993-1996). Among the principal actions taken by the World Telecommunication Standardization Conference are:

- a) Approval of any Recommendations submitted by the Study Groups;
- b) Organization of the Study Groups for the next Study Period;
- c) Allocation of Questions (work program) to Study Groups;
- d) Appointment of the chairman and vice-chairmen of each Study Group; and
- e) Revision of the working methods of the ITU-T.

The Study Groups are responsible for their own internal organization, for example:

- a) Establishment of Working Parties and the appointment of their chairmen;
- b) Appointment of Rapporteurs which report directly to the Study Group; and
- c) Allocation of Questions to each Working Party (and to Rapporteurs that report directly to the Study Group).

The Working Parties are responsible for the Questions assigned to them. They may appoint Rapporteurs to facilitate carrying out the technical work. When texts are being developed for a Recommendation, it is frequently helpful to appoint an Editor.



### FIGURE 2

Organizational structure of JTC 1

At the start of a new Study Period, the Questions are the ones allocated to the Study Group by the World Telecommunication Standardization Conference. During the Study Period, new proposed Questions can be drafted and sent out for ballot to Administrations for approval.

During the Study Period, work on a draft of a new Recommendation or on a revision of an existing Recommendation may become mature and stable. The Study Group may determine that approval of the Recommendation should be  $sought^{2}$ . The text is then sent out for a threemonth letter ballot to all Administrations for approval. Texts which are mature at the end of the Study Period may be sent to the World Telecommunication Standardization Conference for approval.

At the end of the Study Period, each Study Group will prepare a set of new or revised Questions for the work they believe should be continued or undertaken during the next four year Study Period. These draft Questions are submitted to the World Telecommunication Standardization Conference for approval.

Procedures are in place which permit important work to continue during the period between the final meeting of a Study Group in one Study Period and the first meeting of the Study Group in the next Study Period.

<sup>2)</sup> A decision to invoke the approval procedure at a Study Group meeting must be unopposed. If one Administration says "NO", the approval process is suspended. One or more Administrations at the Study Group meeting may request more time to consider their position. If this is the case, these Administrations have six additional weeks to make their positions known.



JTC 1 Approval Process



FIGURE 3 Approval processes of ITU-T and JTC 1

## **3.2 JTC 1 procedures**

The procedures for the technical work of ISO/IEC JTC 1 are specified in the ISO/IEC Directives for JTC 1. These procedures employ a number of discrete stages, each involving a ballot process of formal voting by National Bodies. Highlights are summarized below.

A proposal for a new work item can be initiated by either a JTC 1 National Body, an SC, or a Category A Liaison. A standard format exists for a new work item proposal (NP). An NP is circulated for a three month letter ballot at the JTC 1 level and, if approved, is added to the JTC 1 program of work and assigned to an SC for development.

Working Drafts are texts being developed for an International Standard, a Technical Report or an amendment to an International Standard. When the work reaches a state of maturity as determined by the  $SC^{3}$ , it is registered as a Committee Draft (CD), Proposed Draft Technical Report (PDTR), or a Proposed Draft Amendment (PDAM). It is circulated for letter ballot at the SC level. The ballot period is normally three months but can be extended up to six months.

The results of the ballot, including all comments, are distributed by the SC secretariat in a Summary of Voting document. All comments must be addressed. If the comments are straight forward, they may be addressed by the editor. In more complex situations, an editing meeting is held to resolve the comments. The editor then prepares the text and a Disposition of Comments report and forwards these to the SC secretariat. If the changes are substantive, a second CD, PDTR or PDAM ballot is required. The same procedure described above is used for the ballot and to handle the ballot results.

When the text is considered stable, the text is registered as a Draft International Standard (DIS), Draft Technical Report (DTR), or Draft Amendment (DAM). It is circulated for a six month letter ballot to National Bodies of JTC 1 and ISO/IEC<sup>4</sup>). The same procedure described above is used to handle the ballot results. If the changes are substantive, a second DIS, DTR or DAM ballot is required which is normally three months but can be extended up to six months.

When the text is ready for publication, the editor sends it in "camera ready" form, along with the Disposition of Comments report, to the SC secretariat.

Defects discovered after publication are handled by a formal defect report process. A special group of nominated experts reviews the material along with any proposed solution. The result of this process is a three month letter ballot at the SC level and a simultaneous comment period at the JTC 1 level to approve the resolution of the defect. Such defects are normally corrected by the publication of a Technical Corrigendum.

All along the way, the WG and SC oversee the process. In many cases authorization to pass to the next step are contained in Resolutions formally approved at SC meetings.

## 4 Modes of cooperation

### 4.1 Introduction

Cooperation between the ITU-T and ISO/IEC JTC 1 spans many levels. The most basic, of course, is the recognition of the areas of work of the respective organizations.

The ITU-T, as one of the three sectors of the International Telecommunication Union (ITU), has responsibilities for "studying technical, operating and tariff questions and adopting recommendations on them with a view to standardizing telecommunications on a world wide basis"<sup>5</sup>). JTC 1, as a joint technical committee of ISO and IEC, has a scope of "standardization in the field of information technology"<sup>6</sup>).

<sup>&</sup>lt;sup>3)</sup> This determination is done either by adoption of a Resolution at an SC meeting or by a three-month registration ballot at the SC level.

<sup>&</sup>lt;sup>4)</sup> DTR's are circulated for a three month letter ballot to JTC 1 National Bodies.

<sup>&</sup>lt;sup>5)</sup> Final Acts of the Additional Plenipotentiary Conference, Geneva, 1992.

<sup>&</sup>lt;sup>6)</sup> ISO/IEC Directives – Procedures for the technical work of ISO/IEC JTC 1 on Information Technology, 1992.

By far, the vast majority of the work program of the ITU-T and the work program of JTC 1 is carried out separately with little, if any, need for cooperation between the organizations.

For work programs where cooperation is desirable, appropriate arrangements exist between ISO, IEC and ITU-T to facilitate this cooperation. ISO and IEC each have a membership in the ITU-T as International Organizations. The ITU-T participates in the work of JTC 1 as a Category A Liaison organization. Several modes of cooperation have been defined as described below.

### 4.2 Liaison mode

Where there is interest in both organizations in an area of work but the prime responsibility falls to one of the two organizations, the liaison approach to cooperation is well suited. In this situation, the work is carried out in one organization and the other organization participates, as appropriate, using its liaison status. The result is published by one organization and is referenced, as needed, by the other organization.

In some situations of common interest, it may be appropriate to reach an agreement that would allocate the standardization of a particular area of work to one organization. One example where this has been done successfully is the interface between a data terminal and a modem. The agreement reached is that the ITU-T will standardize the electrical characteristics and functions of the interchange circuits and JTC 1 will standardize the interface connector and pin assignments. The necessary cooperation is achieved through liaison.

Clause 6 details the liaison procedures.

### 4.3 Collaboration mode

Where, for a given area of work, each organization plans to develop a Recommendation or International Standard, it may be best to mutually build consensus through collaboration. In this situation, meetings are held at the working level to develop common text, which is then approved using the normal approval process of each organization. The result is published as a Recommendation and as an International Standard (or Technical Report).

Collaboration can be carried out in one of two ways: by means of collaborative interchange or by means of a collaborative team.

Collaboration by means of collaborative interchange is suited for situations where the work to be carried out is straightforward and relatively non-controversial, and where there is sufficient common participation in the meetings of the two organizations to make the interchange highly effective. The work on resolving issues and developing common text is continually progressed in the successive meetings of the two groups. Synchronization of the normal approval processes of both the ITU-T and JTC 1 is used leading to publication.

Clause 7 details the collaboration procedures when collaborative interchange is used.

Collaboration by means of a collaborative team is well suited for situations where extended dialog is necessary to develop solutions and reach consensus. In this situation, all interested parties participate together in a collaborative team to mutually progress the work, resolve issues, and develop common text. Synchronization of the normal approval processes of both the ITU-T and JTC 1 is used leading to publication.

Clause 8 details the collaboration procedures when a collaborative team is established.

Collaboration at the international level will be greatly facilitated by effective coordination between ITU-T and JTC 1 delegates at the national level. The true basis of cooperation is dependent upon open sharing of information and the good will of all parties involved.

### 4.4 Determining the mode of cooperation

Figure 4 summarizes for a specific item of work the various relationships that could exist between the ITU-T and JTC 1.

The vast majority of the work programs of the ITU-T and JTC 1 are significantly separate so that they can be successfully carried out with little, if any, intercommunication.



### FIGURE 4



Agreement for cooperation must be mutually recognized to be successful. Therefore, operation in the liaison mode or in one of the two collaboration modes for a given area of work must be an agreed decision of both organizations. This agreement is to be confirmed at the SG/SC level.

To maximize the effectiveness of resources and minimize rework, SGs and SCs should identify areas for collaborative work as early as possible in the development process. Normally as part of the development of a new work item proposal in JTC 1 and the development of a new or revised Question in the ITU-T, consideration is given to the need for interactions with other standards groups. If enough information is available at this stage, then, if appropriate, either the liaison mode or one of the collaboration modes can be proposed and agreement of the other organization sought.

It is possible for the mode of cooperation to change as the work progresses. For example, work could be initiated in one organization and, as a result of liaison, it could become recognized as integrally important to the other organization. At this point, agreement could be reached to advance all future work in a collaborative mode.

To facilitate overall cooperation, each Study Group should maintain a listing that identifies the Questions that are being studied in cooperation with JTC 1 and, for each Question, denotes both the mode of cooperation and the relevant JTC 1 project(s). Similarly, each JTC 1 SC and the SGFS should maintain a listing that identifies the projects that are being studied in cooperation with the ITU-T and, for each project, denotes both the mode of cooperation and the relevant ITU-T Question(s).

## 4.5 Termination of collaboration and/or common text publication

As stated in 4.4, a collaborative relationship for a given area of work requires the agreement of both the SC and the SG to be initiated. It continues as long as both organizations feel collaboration is beneficial. In the unusual event that either organization feels that collaboration for a given area of work should be terminated, this situation shall be immediately discussed with the other organization. If satisfactory resolution cannot be obtained, then collaboration for the given area of work can be terminated at any time by either the SC or the SG. If termination should occur, both organizations can make use of the prior collaborative work.

Similarly, if an unusual circumstance should arise to indicate that publication of a collaborative Recommendation | International Standard in common text format is no longer desirable (e.g., because of substantial differences in content), this situation should be immediately discussed with the other organization. If after the consultation either organization determines that common text publication is not appropriate, then each organization can publish separately using their own publication format.

## 5 Planning and scheduling

Both the ITU-T and JTC 1 have their own multi-year planning activities. Interactions between these planning activities will facilitate effective ITU-T/JTC 1 cooperation.

## 5.1 Scheduling of SG/WP and SC/WG meetings

Schedules for ITU-T Study Group and Working Party meetings for the four year Study Period are established at the beginning of the Study Period and are quite difficult to change. Meetings of JTC 1 Subcommittees and Working Groups are typically scheduled five years in advance and are also quite difficult to change.

Where collaborative arrangements have been established, the ITU-T SG secretariats and the JTC 1 SC secretariats are responsible for keeping each other informed of meeting schedules. In particular, the SG and SC secretariats should consult each other before firming up their respective SG/WP and SC/WG meeting dates to avoid conflicts that would adversely affect cooperation.

## 5.2 Work program coordination

The ITU-T and JTC 1 both have requirements for formulating a work plan, including milestones, for each specific area of work. In JTC 1, the key milestones are dates for working draft, CD ballot, DIS ballot, and publication. In the ITU-T, the milestones include dates for drafts and for Study Group initiation of the approval process.

The efficiency of the collaborative process depends in large measure on the synchronization of the approval processes of both organizations. Early planning and establishment of milestones, taking into account key dates in each organization, is essential to achieving synchronization and avoiding added delay. For example, the dates for the CD and DIS ballot need to take into account SC/WG meeting dates (for any necessary enabling Resolutions) and the DIS ballot date needs to also take into account the schedule of the ITU-T SG meeting where invocation of the approval procedure is contemplated.

## 5.3 Synchronized maintenance of cooperative work

Approved collaborative Recommendations | International Standards need to be reviewed and maintained over time. This will require continuing collaborative effort.

With the strong interdependence among the large number of information technology Recommendations and International Standards, it is recommended that maintenance updates be done in the same time frame. This will significantly help to ensure that the work on information technology evolves as a cohesive whole. The review and any necessary updates should be done every four to five years, for example, coincident with the close of each ITU-T Study Period. In this case, approval should be targeted for the dates of the last SG meetings in the Study Period.

## 6 Liaison procedures

## 6.1 General

Liaison between organizations is an important means of communication that typically involves one or more of the following:

- a) Interchange of general information of mutual interest;
- b) Coordination of related work that is partitioned between the two groups; and
- c) Comments on work that is the responsibility of the other group.

### 6.2 Liaison representation

Regardless of the mode of cooperation for a particular subject, all interactions at the Study Group/Subcommittee (SG/SC) level and at the Working Party/Working Group (WP/WG) level are conducted using the liaison procedures. In particular, this applies to participation in each other's meetings and submission of contributions. For example, for an individual to represent JTC 1, a SC or a WG at an ITU-T Study Group or Working Party meeting, a letter from the JTC 1, SC, or WG secretariat is necessary authorizing such representation. Likewise, for an individual to represent an ITU-T Study Group or Working Party at a JTC 1, SC or WG meeting, a letter from the ITU-T SG secretariat is necessary authorizing such representation.

Communication between Rapporteur Groups, between Collaborative Teams, and between a Rapporteur Group and a Collaborative Team is also done by liaison. Individuals attending a Rapporteur meeting in the ITU-T as an ISO/IEC liaison delegate and individuals attending a Rapporteur meeting in JTC 1 as an ITU-T liaison delegate should be officially approved by the respective SG/WP or SC/WG and confirmed with a letter of authorization from the secretariat.

Liaisons are most effective when they are prepared in written form (see 6.3) and when a knowledgeable liaison representative attends the meeting to present it and participate in any ensuing dialog. Individuals performing liaison responsibilities should have first hand knowledge of the work being represented and should be familiar with the procedures of both organizations.

In most cases, liaison between two groups should be both ways. The same or different individuals can be used for the two directions of liaison.

## 6.3 Liaison contributions

Liaison contributions at the SG/SC level or at the WP/WG level are transmitted by the originating secretariat to the destination secretariat upon appropriate authorization. In exceptional circumstances due to close timing between meetings, liaison contributions may be hand carried by an authorized representative but must be followed by an official transmittal by the originating secretariat.

Liaison contributions at the Rapporteur level (i.e., those without a higher level of approval) are handled between the respective Rapporteurs. Each Rapporteur is responsible for ensuring appropriate distribution within their community of experts.

Liaison contributions must list as their source, the highest entity that approved the liaison. For example, if a liaison statement was developed by a Rapporteur group and subsequently approved by a WP and then the SG, the source would be the SG, indicating the highest stage of approval. It would be most helpful if, within the liaison contribution, the particular group that developed the liaison was indicated. The title of the liaison contribution should be descriptive of the subject matter. The liaison contribution should explicitly state its nature; e.g., whether it is for information, for comment, etc.

Liaison contributions to the ITU-T should contain the Question number. Contribution number 1 in each Study Group contains the Questions assigned to the Study Group by the World Telecommunication Standardization Conference. Liaison contributions to ISO/IEC JTC 1 should contain the project number. The documents listed under clause 1.4.2.3 contain the list of projects assigned to each SC and WG.

## 6.4 Special considerations pertaining to the work of the JTC 1 SGFS

At the present time, the ITU-T has not established a group similar in nature to the JTC 1 Special Group on Functional Standardization (SGFS). In recognition of the importance of the SGFS work on International Standardized Profiles (ISPs) to the ITU-T, the procedures of the SGFS make special provision for ITU-T involvement. In particular, the ITU-T can:

- a) Participate in meetings of the SGFS as a Category A Liaison;
- b) Submit a change request for addition to or modification of the framework of ISPs (ISO/IEC TR 10000-1) or the taxonomy of profiles (ISO/IEC TR 10000-2);
- c) Submit a proposed draft ISP (PDISP);
- d) Participate in the review group for a PDISP;
- e) Comment on a DISP ballot; and
- f) Submit a defect report against a PDISP or ISP.

There will be many cases where the ITU-T has a Recommendation and JTC 1 has an International Standard for a protocol to be cited in an ISP. When this is the case, both the Recommendation and the International Standard will be encompassed in the ISP. Any technical differences between the base ISO/IEC International Standards and the base ITU-T Recommendations will be explicitly accounted for in the PICS proforma and in the ISP.

## 7 Collaboration using collaborative interchange

The basic concept of collaboration using collaborative interchange is to closely couple the development, consensus building, and ballot/comment resolution efforts of the two working level groups in an efficient and effective manner to produce mutually agreed common text for one or more Recommendations | International Standards.

## 7.1 Collaborative relationship

Upon agreement by the ISO/IEC JTC 1 Subcommittee and the ITU-T Study Group that a specific area of work is to be developed collaboratively using collaborative interchange, a collaborative relationship is established between the respective working level groups of the two organizations.

The mutually agreed terms of reference for each collaborative interchange relationship should include:

- The scope of the effort as it relates to each organization's program of work (ITU-T Question and JTC 1 project). Where possible, it should include identification of the Recommendation(s) and International Standard(s) that are to be developed collaboratively.
- Any start-up provisions to accommodate work in progress.

The working level groups of the two organizations function using the procedures of their respective organizations, but with certain additional procedures, as described below, to facilitate closer collaboration in building consensus and synchronization of approvals leading to publication of common text.

Figure 5 provides a work flow diagram that identifies the various stages of the collaborative process from concept to final publication. Collaboration can also continue for the ongoing maintenance phase (see 7.11 and 7.12).

The terms of reference or mode of collaboration can be changed at any time by mutual agreement of the SG and SC. Procedures for terminating a collaborative relationship are covered in 4.5.

### 7.2 Participation in working level meetings

Collaboration is facilitated if there is some significant degree of common participation by individuals in the working level meetings of both organizations.

Representation of one organization in a working level meeting of the other organization is achieved by means of liaison. For example, for an individual to represent a JTC 1 working level group in an ITU-T working level group, a letter from the JTC 1 SC or WG secretariat is necessary to authorize such representation. Likewise, for an individual to

represent an ITU-T working level group in a JTC 1 working level group, a letter from the ITU-T SG secretariat is necessary to authorize such representation. Individuals attending meetings in a liaison capacity should be familiar with the procedures of the organization holding the meeting.





Work flow diagram when Collaborative Interchange is used

## 7.3 Scheduling

As the work matures, it is important that careful consideration be given to the scheduling of ballots to take into account the meeting schedule of the JTC 1 SC and WG (e.g., for any necessary resolution authorizing progression to ballot) and the ITU-T SG (e.g., for initiation of the approval procedure) so that the necessary synchronization can take place in a timely manner.

## 7.4 Contributions

Contributions are handled by each working level group according to the normal procedures of their organization. In addition, it is important that contributions or the results of analysis of contributions be passed promptly to the other working level group.

## 7.5 Editor for common text

It is strongly recommended that the two working level groups agree on a single Editor or set of Editors that will maintain the single master collaborative text. The draft text shall be prepared and maintained by the appointed Editor(s) according to the common format criteria agreed by the ISO/IEC and ITU-T secretariats (see Appendix II). The draft master collaborative text will be updated only when agreement to the specific text has been made by both groups.

Each iteration of the draft collaborative text shall be dated. Changes from the previous draft should be highlighted by change marks.

Appointed Editors will be responsible for the text through draft iterations and final submission to the secretariats for publication. The individuals selected for this task should make a commitment to continue the work to completion so that continuity can be maintained throughout the effort.

## 7.6 Achieving consensus

Close liaison is maintained during the development of draft documents, editing the draft texts, and resolution of ballots and comments to ensure that the views of all concerned are taken into account in building consensus. A synergy should emerge from the interaction of the two working level groups. The conduct of the meetings should foster this spirit of cooperation.

Achieving consensus at each step of the process will be facilitated through cooperation of JTC 1 and ITU-T experts at their national level to provide consistent viewpoints.

In general, the intent is that the degree of consensus and the stability of the agreements will increase at each step of the collaborative process.

In rare cases, it may become apparent during the development of common text that one or more specific technical differences are necessary taking into account the needs of JTC 1 and ITU-T. All proposed differences should be carefully examined to ensure there is a legitimate need. When this is the case, the common text is to include the full technical material needed by each organization with wording that specifically identifies any text that is applicable only to one organization.

## 7.7 **Progress reporting**

Each working level group is responsible for providing written reports of its meetings to its parent SG/WP or SC/WG following normal procedures. These reports should summarize the results of the meeting including agreements reached, areas identified for further study, the status of collaborative progress, and projected upcoming milestones (see 5.2).

These reports, or appropriate extracts, should be conveyed to the other working level group using the normal liaison procedure. Meeting reports should contain sufficient information to enable the collaborative work to mutually progress in both organizations as effectively as possible.

## 7.8 Liaisons

It is important to ensure continuing coherence of work in the Information Technology area. Therefore, maintaining established liaisons with other activities and organizations that have been identified to have an appropriate relationship is essential to the success of the work. Meeting reports and drafts should be distributed and comments invited. Liaison

organizations are also encouraged to provide contributions to the work. Liaison contributions and comments are considered additional views to facilitate the work and to identify other considerations.

Liaisons are handled in the normal manner by each organization. However, liaisons of common interest should be shared with the other working level group.

## 7.9 Synchronized approval process

Each organization retains its individual procedures for approving the result of the collaboration work as International Standards and ITU-T Recommendations. Clause 3 presents the individual organization procedures and policies that are to be followed. The paragraphs below describe how these procedures are synchronized for the different stages of approval.

As outlined in 7.7 above, each working level group keeps its parent informed of the progress of the collaborative work. When the work has progressed to a point where a schedule for synchronized approval can be established with a degree of confidence, it is important for the two working level groups to jointly plan the specific steps, taking into account scheduled dates of the ITU-T SG and JTC 1 SC meetings. Figure 3 shows the necessary alignment that needs to be achieved between the two approval processes.

When the two working level groups decide that the draft has reached a point of maturity and that the synchronized approval process should commence, each parent is advised of the decision.

For the first level of balloting in JTC 1, the SC secretariat registers the working draft as a Committee Draft (CD) and distributes it for letter ballot to the National Bodies. The ballot period is normally three months but can be extended up to six months. At the same time, the working draft is distributed to the ITU-T SG members for review and comment. ITU-T member comments should be provided within the same time period.

The agreed plan for synchronized approval will have identified the ITU-T SG or WP meeting that meets prior to the Study Group meeting where the approval procedure is planned to be applied. At this SG or WP meeting, the necessary agreement will be sought on the intent to apply the approval procedure at the next SG meeting.

Responses from JTC 1/SC National Bodies to the CD ballot are collected by the SC secretariat and distributed in a Summary of Voting Report. ITU-T members will comment by means of contributions to the SG. Both sets of responses are to be made available to each of the two working level groups.

The two working level groups should coordinate their efforts in resolving all received comments and drafting the revised text. If the changes are substantive, a second CD ballot and comment period for ITU-T members will be necessary.

When the issues have been resolved to the satisfaction of both working level groups, the draft will be elevated to the next level of approval. The document will be registered as a Draft International Standard (DIS) and circulated for a six-month ballot to National Bodies of JTC 1 and the ISO/IEC. At the same time, which must be at least three months before the SG meeting where the approval procedure is planned to be invoked, the document will be submitted to the SG secretariat. The text will be circulated as a SG document for review and comment. ITU-T member comments should be provided within the same six-month period so that all responses can be considered together. Also during this six-month period, the ITTF and the TSB will review the text and submit their comments.

The Director of the TSB will issue at least three months before the SG meeting a letter that announces the intent to invoke the approval procedure at the SG meeting.

Responses from National Bodies of JTC 1 and ISO/IEC to the DIS ballot are collected by the ITTF and distributed in a Summary of Voting Report by the SC secretariat. ITU-T members will comment by means of contributions to the SG. Both sets of responses are to be made available to each of the two working level groups.

NOTE - If an ITU-T Administration indicates a problem which would prevent the approval procedure from being invoked or if a problem is indicated on the JTC 1 side which would delay approval (e.g., an unplanned second DIS ballot), this should be immediately conveyed to all concerned so that appropriate action can be taken and, if necessary, a new synchronized plan established.

The DIS ballot responses and the comments from ITU-T members will be considered at the DIS ballot resolution meeting. With ITU-T participation, the group reviews and resolves the comments and negative ballots. If revisions are substantive, a second DIS ballot and comment period for ITU-T members will be required to affirm that all are in accord with the results<sup>7</sup>). This ballot and comment period is normally three months but can be extended up to six months.

The DIS ballot resolution meeting is extended to include the ITU-T SG meeting so that any needed changes/corrections resulting from review of the text can be mutually agreed<sup>8</sup>). With the final text available, the ITU-T SG will be asked to invoke<sup>9</sup>) the approval procedure for adoption of the draft as an ITU-T Recommendation. The ITU-T three-month letter ballot has only one of two possible outcomes: approval or rejection. If approval is not obtained at the SG meeting or in response to the letter ballot, the next action will be based on consultation between ISO/IEC JTC 1 and ITU-T, taking into account the specifics of the situation.

While the ITU-T letter ballot is being conducted, the Editor(s) will assist the ITTF and the TSB in preparing for the publication of the Recommendation | International Standard.

## 7.10 Publication

The collaborative Recommendation | International Standard should be published as soon as practical after an affirmative response to the ITU-T ballot has been achieved.

Care should be taken to ensure that there is a single master of the common text for each language that is used for

## 7.11 Defects

The work is not necessarily completed at the stage of publication. While every effort has been taken to produce a quality document, experience has shown that defects may be found as the document is being applied to implementations. Therefore, there is need for an ongoing responsibility for dealing with Defect Reports.

It is critical that rapid correction of possible errors, omissions, inconsistencies, or ambiguities be performed collaboratively. The procedures for this important effort are outlined below.

### 7.11.1 Defect Review Groups

The JTC 1 SC and ITU-T SG should each appoint a Defect Review Group that will mutually collaborate in resolving defects. Each Defect Review Group should have a chairperson and be composed of nominated experts.

## 7.11.2 Submission of Defect Reports

Defect Reports may be submitted by ISO/IEC National Bodies, ITU-T members, liaison organizations, the responsible SG or any of its WPs, the responsible SC or any of its WGs, or by a member of either Defect Review Group. Appendix I provides the Defect Report form to be used. It is a modified version of the JTC 1 Defect Report form to encompass both JTC 1 and ITU-T information.

Defect Reports submitted to one organization should be immediately copied to the other organization. The JTC 1 WG secretariat will handle the administrative aspects.

The Defect Review Groups are responsible for maintaining an up-to-date list of all submitted Defect Reports and the status of each.

<sup>7)</sup> A restart of the ITU-T approval process (i.e., delay to the next SG meeting; see dotted line in Figure 3) will normally be necessary if the SG meeting where the approval procedure was to be invoked has taken place before the second DIS process has been successfully completed.

<sup>8)</sup> In the unlikely event that substantive changes are deemed necessary at this late stage, another DIS ballot (and comment period for ITU-T members) will be required to affirm that all are in second with the results. This ballot (and comment) period is normally three months but can be extended up to six months. The invocation of the approval procedure would normally be delayed to the next SG meeting.

<sup>&</sup>lt;sup>9)</sup> If one or more Administrations present at the SG meeting say "NO", the ITU-T approval process is suspended.

### 7.11.3 Procedures for resolving defects

The JTC 1 procedures for handling Defect Reports (see ISO/IEC Directives for JTC 1) are followed with modifications to encompass collaborative ITU-T and JTC 1 participation in the resolution of the defect.

When mutual agreement of the two Defect Review Groups has been obtained for a resolution of a defect, the appropriate approval procedures are initiated in the ITU-T and JTC 1. For example, if the resolution of a Defect Report results in a need to correct the text of a collaborative Recommendation | International Standard, then ITU-T approval is obtained by formal agreement at a SG meeting and JTC 1 approval is obtained by means of a three-month SC ballot/JTC 1 comment period. The approved corrections are published in common text format usually as a Technical Corrigendum to the Recommendation | International Standard. Alternatively, if the resolution of the Defect Report involves substantial change, then it is handled as an amendment.

The Editor for the Recommendation | International Standard will maintain an up-to-date copy of the complete integrated text, including all changes approved through the defect process.

### 7.12 Amendments

Further work is often identified as a result of the development process and as a result of changing technology and new operational requirements. Accordingly, there is an important need for amendments that provide expansions, enhancements, and updates to the basic provisions of the published Recommendation | International Standard.

The processing of amendments follow the same procedures as the original development beginning with the approval, if necessary, of an NP by JTC 1 and a new or revised Question by the ITU-T.

The Editor for the Recommendation | International Standard will maintain an up-to-date copy of the complete integrated text, including all changes approved through the amendment process.

## 8 Collaboration using a collaborative team

The basic concept of collaboration using a collaborative team is to perform all development, consensus building, and ballot/comment resolution in common meetings to produce mutually agreed common text for one or more Recommendations | International Standards.

### 8.1 Collaborative Team

Upon agreement by the ISO/IEC JTC 1 Subcommittee and the ITU-T Study Group that a specific area of work is to be developed collaboratively in common meetings, a Collaborative Team (CT) is established with participants from both organizations.

The mutually agreed terms of reference for each Collaborative Team should include:

- The scope of the effort as it relates to each organization's program of work (ITU-T Question and JTC 1 project). Where possible, it should include identification of Recommendation(s) and International Standard(s) that are to be developed collaboratively.
- The parent body in each organization to which the CT is to directly report (i.e., SG or WP and SC or WG).
- Any reporting or tracking provisions beyond those specified in 8.7.
- Any start-up provisions to accommodate work in progress.

The CT uses the procedures detailed below to build consensus and to achieve synchronization of approvals leading to publication of common text.

Figure 6 provides a work flow diagram that identifies the various stages of the collaborative process from concept to final publication. Collaboration can also continue for the ongoing maintenance phase (see 8.11 and 8.12).

The terms of reference or mode of collaboration can be changed at any time by mutual agreement of the SG and SC. Procedures for terminating a collaborative relationship are covered in 4.5.





Work flow diagram when Collaborative Team is used

## 8.2 Convenor(s) and Editor(s)

The CT will have either a single Convenor agreed upon by the JTC 1 SC and the ITU-T SG, or co-Convenors, one appointed by each organization. In the case of co-Convenors, the chairing of meetings can be on a rotational basis or as otherwise agreed by the CT.

Administrative support is the responsibility of the CT Convenor(s) and participating members.

A single Editor or set of Editors shall be appointed to produce and maintain the single master collaborative text during the development and approval process. The draft text shall be prepared and maintained by the appointed Editor(s) according to the common format criteria agreed by the ISO/IEC and ITU-T secretariats (see Appendix II). Each iteration of the draft collaborative text shall be dated. Changes from the previous draft should be highlighted by change marks.

Appointed Editors will be responsible for the text through draft iterations and final submission to the secretariats for publication. The individuals selected for this task should make a commitment to continue the work to completion so that continuity can be maintained throughout the effort.

## 8.3 **Participants**

Eligibility for attendance at a CT meeting is determined by the requirements of the two organizations. Thus, participants in the work of the CT must be representatives from JTC 1/SC National Bodies, ITU-T members, or recognized liaison organizations (including associated JTC 1 SCs/WGs and ITU-T SGs/WPs).

During the development of working drafts, participants should have the freedom and flexibility to participate as individual experts in reaching sound, objective solutions to the issues at hand. It is not required that there be equal, balanced representation from each organization, nor are the number of representatives to be restricted as a normal procedure, except as specifically agreed for editing (see 8.6.2) or ballot resolution (see 8.6.3).

### 8.4 Meetings

Each CT meeting must be properly scheduled in advance. The CT is responsible for making its own meeting arrangements and schedule, subject to agreement by the SG and SC. Generally, hosts for CT meetings should alternate between JTC 1 and ITU-T organizations, but they may also be cooperatively hosted with appropriate agreement. CT meetings should be scheduled at the same location and time as the respective JTC 1 SC/WG or ITU-T SG/WP meetings although meetings may also be scheduled at other times and locations. The CT is permitted to meet during a CD ballot/comment period or DIS ballot/comment period to pursue its work program but the CT shall not discuss during these periods the material under ballot (see 8.9).

The Convenor(s) of the CT shall maintain a mailing list of all individuals desiring to be informed about meetings of the CT. Meeting notices and agenda must be distributed at least three months before the meeting starting date. The meeting notice and agenda must be sent to the JTC 1 SC secretariat (for distribution to National Bodies of the SC) and to the ITU-T SG secretariat (for information). Each agenda must provide a list of documents to be considered, which will include previous meeting reports and input contributions (see 8.5).

## 8.5 Contributions

Contributions to the work of the CT provide proposed concepts and text, comments on working drafts, and editorial and technical revisions to the work. Contributions may be provided by JTC 1/SC National Bodies, ITU-T members, recognized liaison organizations, and individual experts who are accredited participants in the CT. Each contribution shall indicate its source and status (e.g., national position, working proposal, comments). Expert papers are to be given consideration as additional views during the development of working drafts, but contributions from JTC 1/SC National Bodies and ITU-T members will take precedence.

Documents to be considered at the meeting should be in the hands of the CT Convenor(s), SG secretariat, or SC or WG secretariat at least eight weeks in advance. Late contributions will only be considered upon agreement by the meeting participants. Contributors of late contributions should bring to the meeting sufficient copies for all participants.

All contributions to the CT, regardless of their means of submittal, will be identified and maintained by the CT in a document register. The Convenor(s) of the CT shall maintain a mailing list of the CT participants and ensure timely distribution of contributions and meeting output documents to the experts. The documents are also sent to the JTC 1 SC or WG secretariat (for distribution to National Bodies of the SC) and to the SG secretariat (for information). Meeting participants are encouraged to exchange documents directly to facilitate preparation for the meetings.

### 8.6 Achieving consensus

The functions of the CT meetings are three-fold: the development of draft texts, editing of draft texts, and resolution of ballots and comments. The CT meetings are only authorized to deal with the specific collaborative project/Question identified in the terms of reference of the CT.

Achieving consensus at each step of the process will be facilitated through cooperation of JTC 1 and ITU-T experts at their national level to provide consistent viewpoints.

In general, the intent is that the degree of consensus and the stability of the agreements will increase at each step of the collaborative process.

### 8.6.1 Development of draft text

In responding to the requirements of the designated JTC 1 project and ITU-T Question, the development of draft text should be a consensus building process. Typically, there are a diversity of contributions introduced during the development process. These should all be objectively considered in seeking a sound solution. A synergy should emerge from the interaction of the participating experts with their different perspectives. The conduct of meetings should foster this spirit of cooperation.

Balloting, or voting, by the CT during the development of working drafts is considered inappropriate in reaching a consensus and could be counter-productive. The CT consensus should be built through discussion, acceptance, compromise, and, if necessary, informal polling of delegates to sample the state of agreement. It would also be appropriate to record in meeting reports points of consensus as well as any specific reservations that meeting delegates have on particular issues.

Topics of concern to only the ITU-T or to only JTC 1 may be addressed by sub-group meetings held within the framework of the CT meeting.

In rare cases, it may become apparent during the development of common text that one or more specific technical differences are necessary taking into account the needs of JTC 1 and the ITU-T. All proposed differences should be carefully examined to ensure there is a legitimate need. When this is the case, the common text is to include the full technical material needed by each organization with wording that specifically identifies any text that is applicable only to one organization.

### 8.6.2 Editing drafts

Meeting time is often consumed with resolution of issues and development of agreements-in-principle, but there is insufficient time to develop complete text. The editing task can often be done more efficiently by an authorized smaller-sized meeting with a well-defined scope of work. The meeting will be chaired by an individual appointed by the CT.

The meeting will only be authorized to produce text for specifically identified issues and agreements. Any other technical issues that arise during the meeting must be referred back to the CT for resolution. The draft text that is produced by the meeting must be circulated to CT participants within four weeks of completion of the meeting.

### 8.6.3 Resolution of ballots and comments

The approval processes will be conducted according to the established procedures of each organization with the adaptation and synchronization described in 8.9. A Ballot/Comment Resolution Group should be convened as soon as practical (e.g., within ten weeks) after the close of the CD-ballot/SG-comment and DIS-ballot/SG-comment periods to review and resolve the results. The group should be chaired by the CT Convenor or Editor.

The Ballot/Comment Resolution Group may be the CT. Alternatively, where the CT may be too large for effectiveness, the Ballot/Comment Resolution Group may be composed of the document editor(s), one primary representative for each National Body, and one primary representative for each country participating in the ITU-T SG. Primary representatives from the same country should, whenever possible, coordinate their positions for consistency. Additional representatives from JTC 1 and ITU-T may also be invited to attend as deemed necessary by the CT. Each primary representative should be authorized by its sponsoring organization to approve the handling of its comments by the group.

The purpose of a ballot/comment resolution meeting is to resolve as many of the negative ballots/comments as possible without invalidating any affirmative ballots/positions. The goal is to achieve agreements resulting in the greatest possible consensus. This can be done provided that all affected representatives are satisfied with the handling of the comments. If the ballot/comment resolution spans multiple meetings, it is important that continuity of representation be maintained through the complete process.

In the course of its work, the Ballot/Comment Resolution Group may uncover major technical issues. The resolution of such matters is beyond the scope of the group and must be referred back to the CT (or parent bodies) along with appropriate recommendations for resolution.

## 8.7 **Progress reporting**

The CT is responsible for providing written reports of each meeting to the sponsoring JTC 1 SC/WG and ITU-T SG/WP. These reports should summarize the results of the meeting including agreements reached, areas identified for further study, the status of collaborative progress, and projected upcoming milestones (see 5.2). Comments and/or instructions may be provided back to the CT from SG/WP and SC/WG meetings.

### 8.8 Liaisons

It is important to ensure continuing coherence of work in the Information Technology area. Therefore, maintaining established liaisons with other activities and organizations that have been identified to have an appropriate relationship is essential to the success of the work. Meeting reports and mature drafts should be distributed and comments invited. Liaison organizations are also encouraged to provide contributions to the work. Liaison contributions and comments are considered additional views to facilitate the work and to identify other considerations.

Liaison documents generated by the CT are conveyed to the SC secretariat and the SG secretariat for appropriate distribution.

### 8.9 Synchronized approval process

While the work of the CT accomplishes the joint work for the JTC 1 project and ITU-T Question to produce a single common text for both organizations to publish, each organization retains its individual procedures for approving the results of the collaborative work as International Standards and ITU-T Recommendations. Clause 3 presents the individual organization procedures and policies that are to be followed. The paragraphs below describe how these procedures specifically apply to the CT work and are synchronized for the different stages of approval.

As outlined in 8.7 above, the CT keeps each organization informed of the progress of its work. When the work has progressed to a point where a schedule for synchronized approval can be established with a degree of confidence, it is important for the CT to plan the specific steps, taking into account scheduled dates of the ITU-T SG and the JTC 1 SC meetings. Figure 3 shows the necessary alignment that needs to be achieved between the two approval processes.

When the CT decides that the draft has reached a point of maturity and that the synchronized approval process should commence, each parent is advised of the decision.

For the first level of balloting in JTC 1, the SC secretariat registers the working draft as a Committee Draft (CD) and distributes it for a letter ballot to the National Bodies. The ballot period is normally three months but can be extended up to six months. At the same time, the working draft is distributed to the ITU-T SG members for review and comment. ITU-T member comments should be provided within the same time period so that all responses can be considered together.

The agreed plan for synchronized approval will have identified the ITU-T SG or WP meeting that meets prior to the Study Group meeting where the approval procedure is planned to be applied. At this SG or WP meeting, the necessary agreement will be sought on the intent to apply the approval procedure at the next SG meeting.

Responses from JTC 1/SC National Bodies to the CD ballot are collected by the SC secretariat and distributed in a Summary of Voting Report. ITU-T members will comment by means of contributions to the SG. Both sets of responses are given to the CT.

The SC ballot responses and the comments from ITU-T members are handled by the Ballot/Comment Resolution Group (see 8.6.3). Every effort should be made to resolve all issues. If the changes are substantive, a second CD-ballot and comment period for ITU-T members will be necessary. As with the first ballot/comment, the results will be referred to the Ballot/Comment Resolution Group for action.

When the issues have been satisfactorily resolved, the draft will be elevated to the next level of approval. The document will be registered as a Draft International Standard (DIS) and circulated for a six-month ballot to National Bodies of JTC 1 and the ISO/IEC. At the same time, which must be at least three months before the SG meeting where the approval procedure is planned to be invoked, the document will be submitted to the SG secretariat. The text will be circulated as a SG document for review and comment. ITU-T members should also provide their comments within the same six-month period so that all responses can be considered together. Also during this six-month period, the ITTF and the TSB will review the text and submit their comments.

The Director of the TSB will issue at least three months before the SG meeting a letter that announces the intent to invoke the approval procedure at the SG meeting.

Responses from National Bodies of JTC 1 and ISO/IEC to the DIS ballot are collected by the ITTF and distributed in a Summary of Voting Report by the SC secretariat. ITU-T members will comment by means of contributions to the SG. Both sets of responses are given to the CT.

NOTE – If an ITU-T Administration indicates a problem which would prevent the approval procedure from being invoked or if a problem is indicated on the JTC 1 side which would delay approval (e.g., an unplanned second DIS ballot), this should be immediately conveyed to all concerned so that appropriate action can be taken and, if necessary, a new synchronized plan established.

The DIS ballot responses and the comments from ITU-T members are handled by the Ballot/Comment Resolution Group. The group reviews and resolves the comments and negative ballots. If revisions are substantive, a second DIS ballot and comment period for ITU-T members will be required to affirm that all are in accord with the results<sup>10</sup>. This ballot and comment period is normally three months but can be extended up to six months.

The Ballot/Comment Resolution meeting is extended to include the ITU-T SG meeting so that any needed changes/corrections resulting from review of the text can be mutually agreed.<sup>11</sup> With the final text available, the ITU-T SG will be asked to invoke<sup>12</sup> the approval procedure for adoption of the draft as an ITU-T Recommendation.

<sup>&</sup>lt;sup>10)</sup> A restart of the ITU-T approval process (i.e., delay to the next SG meeting; see dotted line in Figure 3) will normally be necessary if the SG meeting where the approval procedure was to be invoked has taken place before the second DIS process has been successfully completed.

<sup>11)</sup> In the unlikely event that substantive changes are deemed necessary at this late stage, another DIS ballot (and comment period for ITU-T members) will be required to affirm that all are in accord with the results. This ballot (and comment) period is normally three months but can be extended up to six months. The invocation of the approval procedure would normally be delayed to the next SG meeting.

<sup>&</sup>lt;sup>12)</sup> If one or more Administrations present at the SG meeting say "NO", the ITU-T approval process is suspended.

The ITU-T three-month letter ballot has only one of two possible outcomes: approval or rejection. If approval is not obtained at the SG meeting or in response to the letter ballot, the next action will be based on consultation between ISO/IEC JTC 1 and the ITU-T, taking into account the specifics of the situation.

While the ITU-T letter ballot is being conducted, the Editor(s) will assist the ITTF and the TSB in preparing for the publication of the Recommendation | International Standard.

### 8.10 Publication

The collaborative Recommendation | International Standard should be published as soon as practical after an affirmative response to the ITU-T ballot has been achieved.

Care should be taken to ensure that there is a single master of the common text for each language that is used for publication.

### 8.11 Defects

The work is not necessarily completed at the stage of publication. While every effort has been taken to produce a quality document, experience has shown that defects may be found as the document is being applied to implementations. Therefore, there is a need for an ongoing responsibility for dealing with Defect Reports.

It is critical that rapid correction of possible errors, omissions, inconsistencies, or ambiguities be performed collaboratively. The procedures for this important effort are outlined below.

### 8.11.1 Defect Review Group

The CT may request the JTC 1 SC and the ITU-T SG to establish a collaborative Defect Review Group to be chaired by an appointed Editor. The group should consist of the experts nominated by the JTC 1 SC and the ITU-T SG.

### 8.11.2 Submission of Defect Reports

Defect Reports may be submitted by ISO/IEC National Bodies, ITU-T members, liaison organizations, the responsible SG or any of its WPs, the responsible SC or any of its WGs, or by a member of the Defect Review Group. Appendix I provides the Defect Report form to be used. It is a modified version of the JTC 1 Defect Report form to encompass both JTC 1 and ITU-T information.

Defect Reports submitted to one organization should be immediately copied to the other organization. The JTC 1 WG secretariat will handle the administrative aspects.

The Defect Review Group is responsible for maintaining an up-to-date list of all submitted Defect Reports and the status of each.

### 8.11.3 **Procedures for resolving defects**

The JTC 1 procedures for handling Defect Reports (see ISO/IEC Directives for JTC 1) are followed with modifications to encompass collaborative ITU-T and JTC 1 participation in the resolution of the defect.

When agreement is reached in the Defect Review Group for resolution of a defect, the appropriate approval procedures are initiated in the ITU-T and JTC 1. For example, if the resolution of a Defect Report results in a need to correct the text of a collaborative Recommendation | International Standard, then ITU-T approval is obtained by formal agreement at a SG meeting and JTC 1 approval is obtained by means of a three-month SC ballot/JTC 1 comment period. The approved corrections are published in common text format usually as a Technical Corrigendum to the Recommendation | International Standard. Alternatively, if the resolution of the Defect Report involves substantial change, then it is handled as an amendment.

The Editor for the Recommendation | International Standard will maintain an up-to-date copy of the complete integrated text, including all changes approved through the defect process.

### 8.12 Amendments

Further work is often identified as a result of the development process and as a result of changing technology and new operational requirements. Accordingly, there is an important need for amendments that provide expansions, enhancements, and updates to the basic provisions of the published Recommendation | International Standard.

The processing of amendments follow the same procedures as the original development beginning with the approval, if necessary, of a NP by JTC 1 and a new or revised Question by the ITU-T. These may be considered as extensions to the original work by the same CT or may be considered as separate new work that requires the formation of a new CT.

The Editor for the Recommendation | International Standard will maintain an up-to-date copy of the complete integrated text, including all changes approved through the amendment process.

## 9 **Recognition of cooperation**

The cooperation between the ITU-T and ISO/IEC JTC 1 has resulted in the development of a large and growing set of related Recommendations and International Standards. It is valuable that users perceive these results as a cohesive whole. The common text format set forth in Appendix II facilitates this view. Another important area where cohesiveness can be shown is with respect to previously completed collaborative work that resulted in technically aligned text published separately with "house-style" differences. When these so-called "twins" are to be updated and/or republished, it is recommended that they be converted to the common text format.

If, during a transition period, any of these "twin" Recommendations or International Standards will be updated but not in the common text format, attention should be given to the following means to reinforce the cooperation and cohesiveness of the development effort:

- a) Include a footnote from the title of the ITU-T Recommendation that notes the collaborative nature of the work, gives the title of the "twin" ISO/IEC International Standard, and states the degree of technical alignment (for examples, see the X.200-series of Recommendations in the *Blue Book*);
- b) Include text in the Foreword of the International Standard that notes the collaborative nature of the work, gives the title of the "twin" ITU-T Recommendation, and states the degree of technical alignment;
- c) If in the Reference section of a Recommendation there is a reference to an ITU-T Recommendation that has a "twin" International Standard, then include in parentheses a reference to the twin (or use the format given in Appendix II);
- d) If in the Normative References clause of an International Standard there is a reference to an International Standard that has a "twin" Recommendation, then include in parentheses a reference to the twin (or use the format given in Appendix II); and
- e) If there are technical differences between a Recommendation and an International Standard, then include an Appendix/Annex in both documents that summarizes the differences.

A third important area involves the large number of Recommendations and International Standards that exist only in one organization, but make use of and reference Recommendations and International Standards that were developed collaboratively. In this situation, the spirit of cooperation can be communicated by ensuring that references are given to documents of both organizations [see items c) and d) above]. To facilitate this referencing, the TSB and the ITTF will maintain a listing of all collaborative Recommendations and International Standards.

Appendix III gives a listing of all approved Recommendations and International Standards as of 31 March 1993 that were developed collaboratively and have either technically aligned texts or use the common text format specified in Appendix II. In addition, it should also be noted that ISO/IEC has adopted the CCITT prepared Recommendation on CHILL; it is published in the CCITT *Blue Books* (with the logos of all three organizations) as Recommendation Z.200 and ISO/IEC 9496.

## Appendix I

## **Defect report form**



Defect reports

The submitter of a defect report shall complete items 2 to 4 and 7 to 10 and, optionally, item 11 and shall send the form to the convener or secretariat of the WG with which the relevant editor's group is associated. The WG convener or secretariat shall complete items 1, 5 and 6.

1	Defect Report Number:
2	Submitter:
3	Adressed to: JTC 1/SC /WG
	ITU-T/SG /WP
4	WG secretariat:
5	Date circulated by WG secretariat:
6	Deadline on response from editor:
7	Defect Report concerning (number and title of International Standard and/or ITU-T Recommendation):
8	Qualifier (e.g., error, omission, clarification required):
9	References in document (e.g., page, clause, figure and/or table numbers):
10	Nature of defect (complete, concise explanation of the perceived problem):
11	Solution proposed by the submitter (optional):
12	Editor's response:

## **Appendix II**

## **INFORMATION TECHNOLOGY**

### Rules for presentation of ITU-T | ISO/IEC common text

This Appendix provides presentation rules for use by editors in preparing common text ITU-T Recommendations | International Standars (or Technical Reports). The presentation rules were developed jointly by the secretariats of the ITU-T and ISO/IEC. Administration and further evolution of these presentation rules are the joint responsabilities of the secretariats.

This Appendix is presented in the format of a common text ITU-T Recomendation | International Standard to illustrate use of the presentation rules described herein.

## Contents

Forew	ord				
Introd	uction				
1	Scone				
2	Norm	tive references			
2	2.1	Identical Recommendations   Internat	tional Standards		
	2.1	Paired Recommendations   Internation	nal Standards equivalent in technical content		
	2.2	Additional references			
3	2.5 Defin	tions			
4	Appre	muons			
5	Conv	ntions			
3	5 1	Tout differences between ITU T and	ROJEC		
	5.1 5.2	Other references			
	5.2	Dual notation			
	5.5 5.4	Juai IIOlaliOII			
	J.4 5 5	Deferences to divisions and subdivisi	0.05		
_	5.5	-	ons		
6	Gener	al arrangement			
	6.1	Contents (optional)			
	6.2	Foreword			
	6.3	Introduction (optional)			
	6.4	Title			
	6.5	Scope			
	6.6	Normative references			
	6.7	Definitions			
	6.8	Abbreviations			
	6.9	Conventions			
	6.10	Text of the Recommendation   Interna	ational Standard		
		6.10.1 Subdivision numbers			
		6.10.2 Subdivision titles			
		6.10.4 Eigung			
		0.10.4 Figures			
		6 10 6 Equations and formulas			
		6.10.7 Notes			
		6.10.8 Use of words			
	6.11	Integral annexes			
	6.12	Non-integral annexes			
	6.13	Index			
Annex	A – F	kamples of note numbering and layout	t		
Annex	: B – R	eferencing Recommendations			
Annex	С – Г	eviations with respect to ISO/IEC Dire	ective. Part 3		
Annex	D – Г	eviations with respect to WTSC Reco	mmendation A.15		
Index					
mach.	•••••	• • • • • • • • • • • • • • • • • • • •			

## Foreword

This Recommendation | International Standard establishes presentation rules for documents that are intended to be both ITU-T Recommendations and ISO or ISO/IEC International Standards.

The rules proposed in this Recommendation | International Standard are based on the WTSC Recommendation A.15, and on ISO/IEC Directives, Part 3. Deviations from these documents are proposed only in order to arrive at a common set of presentation rules.

In order to facilitate comparison with other presentation styles, this document has been prepared in accordance with the presentation rules that it mandates. The examples used within the text, such as for references, are for illustrative purposes only. Thus, this document constitutes an example of the proposed presentation style. It is noted that neither an ITU-T Recommendation A.1000 nor an ISO/IEC International Standard 0001 exist.

Annexes A and B form an integral part of this Recommendation | International Standard. Annexes C and D do not form an integral part of this Recommendation | International Standard.

## Introduction

Common text starts on page 1 and preliminary material on pages preceding page 1 will be numbered using lowercase roman numerals.

Preliminary material consists of

- a) title page;
- b) table of contents (optional);
- c) foreword;
- d) introduction (optional).

Preliminary material on the roman numbered pages may be different between the organizations.

A model is provided for the optional element "table of contents". The depth of headings in the table of contents is left to the discretion of the author. However, the rule should be: as short as possible.

A template is available from both the TSB and ITTF to aid authors in drafting their texts. This template covers all aspects of the typographical requirements for publishing the common text Recommendations | International Standards.

iii

### INTERNATIONAL STANDARD

**ITU-T RECOMMENDATION** 

## INFORMATION TECHNOLOGY RULES FOR PRESENTATION OF ITU-T | ISO/IEC COMMON TEXT

### 1 Scope

Notwithstanding the provisions of ISO/IEC Directives, Part 3, or the provisions of WTSC Recommendation A.15, joint ITU-T and ISO/IEC documents should conform to the provisions contained in these Presentation Rules.<sup>1</sup>)

Where these Presentation Rules do not specify a particular item, flexibility is given to editors to use the rules given in either WTSC Recommendation A.15 or ISO/IEC Directives, Part 3.

#### NOTES

1 For ITU-T | ISO/IEC common texts, in the clause "Scope" and in the boiler plate texts of the normative reference clause and the definition clause, the term "this Recommendation | International Standard" shall be used when the common text refers to itself.

Elsewhere in a common text, a term which is descriptive of the nature of the common text should be used when the document refers to itself. It replaces the ITU-T use of the word Recommendation and the ISO/IEC use of the words International Standard. The first letter of the word(s) of such a descriptive term shall be capitalized to indicate that it refers to the whole of the common text. For this present common text, the term "Presentation Rules" is used when the common text refers to itself. Examples for other common texts could be:

- "this Specification" or "this Protocol Specification";

- "this Model" or "this Reference Model";
- "this Definition" or "this Service Definition";
- "this Framework" or "this Security Framework".

2 The vertical bar used in the expression "Recommendation | International Standard" is meant to denote either identical Recommendations | International Standards or paired Recommendations | International Standards which are equivalent in technical content.

### 2 Normative references<sup>2</sup>)

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

<sup>1)</sup> The term "Presentation Rules" is used to denote the entirety of the present Recommendation | International Standard when the common text herein makes a reference to itself. For further explanation, see Note 1.

<sup>&</sup>lt;sup>2)</sup> See Annex B for information on how to reference Recommendations in a new environment where the CCITT has been replaced by the Telecommunication Standardization Sector within the International Telecommunication Union.

## 2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.2999 (1999) | ISO/IEC 98765:1999, Fictitious common text on closed system deconnection (CSD).
- CCITT Recommendation X.613 (1992) | ISO/IEC 10588:1993, Information technology Use of the X.25 packet layer protocol in conjunction with X.21/X.21 bis to provide the OSI connection-mode network service.
- CCITT Recommendation X.614 (1992) | ISO/IEC 10732:1993, Information technology Use of X.25 packet layer protocol to provide the OSI connection-mode network service over the telephone network.
- CCITT Recommendation X.721 (1992) | ISO/IEC 10165-2:1992, Information technology Open Systems Interconnection – Structure of management information: Definition of management information.

## 2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.212 (1988), Data link service definition for Open Systems Interconnection for CCITT applications.

ISO/IEC 8886:...<sup>3)</sup>, Information processing systems – Data communication – Data link service definition for Open Systems Interconnection.

 CCITT Recommendation X.225 (1988), Session protocol specification for Open Systems Interconnection for CCITT applications.

ISO/IEC 8327: 1987, Information processing systems – Open Systems Interconnection – Basic connection oriented session protocol specification.

ISO/IEC 8327/Amd. 2:....<sup>4)</sup> Information processing systems – Open Systems Interconnection – Basic connection oriented session protocol specification – Amendment 2: Incorporation of unlimited user data.

## 2.3 Additional references

- ITU-T Recommendation X.6 (1993), Multicast service definition.
- ITU-T Recommendation<sup>5)</sup> X.218 (1993), *Reliable transfer, model and service.*
- WTSC Recommendation A.15 (1993), Elaboration and presentation of texts for Recommendations of the ITU Telecommunication Standardization Sector.
- ISO/IEC Directives, Part 3: 1989, Drafting and presentation of International Standards.

## **3** Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

**3.1 common text:** The text contained in either the ITU-T Recommendation or the International Standard specified by this document.

**3.2** identical Recommendations | International Standards: These are Recommendations and International Standards which were developed jointly by ITU-T and ISO/IEC and have identical (i.e. common) text.

**3.3 paired Recommendations** | **International Standards:** These are Recommendations and International Standards which were developed in close collaboration between ITU-T and ISO/IEC and whose texts are technically aligned but not identical. The text differences might be noted in an annex.

<sup>&</sup>lt;sup>3</sup>) Presently at the stage of draft.

<sup>&</sup>lt;sup>4)</sup> Presently at the stage of draft.

<sup>&</sup>lt;sup>5)</sup> Previously CCITT Recommendation.

### 4 Abbreviations

- CCITT International Telegraph and Telephone Consultative Committee (organ of the ITU up to 28 February 1993)
- IEC International Electrotechnical Commission
- ISO International Organization for Standardization
- ITTF Information Technology Task Force
- ITU International Telecommunication Union
- ITU-T International Telecommunication Union Telecommunication Standardization Sector (formerly the CCITT)
- TSB Telecommunication Standardization Bureau (formerly the Secretariat of the CCITT)
- WTSC World Telecommunication Standardization Conference

## 5 Conventions

### 5.1 Text differences between ITU-T and ISO/IEC

It is recognized that there may be some instances where there needs to be some differences in the content of a common text (e.g. because of differences in scope of ITU-T and ISO/IEC). Justifiable differences can be contained in the common text with either explicit text or a notation convention designating its singular applicability. Unnecessary differences are strongly discouraged.

#### 5.2 Other references

A Recommendation | International Standard may refer to other publications. When reference is made to a publication that is a joint ITU-T Recommendation | ISO/IEC International Standard, both the ITU-T Recommendation and ISO/IEC International Standard shall be referenced.

#### 5.3 **Dual notation**

When reference is made within a text to a Recommendation | International Standard outside the text, a dual notation system shall be used whereby the ITU-T Recommendation will be given first, e.g.

"see ITU-T Rec. X.2999 | ISO/IEC 98765 and Amd. 2 and Amd. 3."

The full title, and date of publication, shall be given in clause 2 for normative references and in a bibliographic annex for informative references.

#### 5.4 Internal references

In a common text, the terms Recommendation or International Standard shall not be used to refer to itself. For further information, see clause 1, Note 1.

#### 5.5 References to divisions and subdivisions

The terms which shall be used to designate the divisions and subdivisions that a Recommendation | International Standard may have are as follows:

Term	Example of numbering
clause	1
subclause	1.2
subclause	1.2.1
paragraph	no number

### **ISO/IEC 0001 : 1993(E)**

Use, for example, the following forms:

- "in accordance with clause 3";
- "according to 3.1";
- "details as given in 3.1.1";
- "in accordance with the following subclauses";
- "see Annex B".

In general, it is unnecessary to use the term "subclause".

## 6 General arrangement

The use of "Parts" for a series of documents published separately under the same International Standard number shall be indicated in the number assigned to that International Standard. See also 6.4 below.

Table 1 shows the general arrangement of the elements that may comprise a Recommendation | International Standard.

Element	Number	
Title page <sup>a)</sup>	none	
Contents <sup>a)</sup> (optional)	none	
Foreword <sup>a)</sup>	none	
Introduction <sup>a</sup> ) (optional)	none	
Title	none	
Scope	1	
Normative references	2	
Definitions	3	
Abbreviations	4	
Conventions	5	
Text of Recommendation   International Standard	6 onwards	
Annexes that form an integral part of the Recommendation   International Standard	A onwards	
Annexes that do not form an integral part of the Recommendation   International Standard	A onwards (see 6.12)	
Index (optional)	none	
<sup>a)</sup> These elements are considered as preliminary material and therefore may be treated differently by each organization.		

## **Table 1 – Arrangement of elements**

### 6.1 **Contents (optional)**

The contents element may list all the subdivisions of the main text and annexes, or only the first one or two levels of the subdivisions and annexes. However, the rule should be: as short as possible. All the elements listed shall be cited with their full titles. Page numbers may be present. Figures and tables should normally not be included in the contents list. If a list of figures and/or tables is required, it should be added separately with an appropriate reference to it in the contents list.

#### 6.2 Foreword

The Foreword shall be present. The content of this element is provided by the individual organization.

#### 6.3 Introduction (optional)

The Introduction, if present, gives information or commentary about the technical content of the Recommendation | International Standard and about the reasons prompting its preparation. It shall not contain requirements.

### 6.4 Title

The title shall appear on page 1 just preceding clause 1, Scope and shall be in uppercase letters.

It shall comprise separate elements, each as short as possible, proceeding from the general to the particular. In general not more than three elements shall be used; the introductory element shall be "Information technology".

In common text multi-part International Standards, the term "Part n" shall not appear in the title. See for example the reference to CCITT Rec. X.721 | ISO/IEC 10165-2 in 2.1.

#### 6.5 Scope

This element shall appear at the beginning of every Recommendation | International Standard, to define without ambiguity the subject of the Recommendation | International Standard and the aspects covered, thereby indicating the limits of applicability of the Recommendation | International Standard. It shall not contain requirements.

The scope shall start immediately after the title on page 1. All other pages in the Recommendation | International Standard shall be numbered sequentially.

#### 6.6 Normative references

This element shall give a list of all normative documents referenced in the Recommendation | International Standard.

The list shall be introduced by the following wording:

"The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations."

NOTE – Publications that are not publicly available, publications to which only informative reference is made or publications which merely served as references in the preparation of the Recommendation | International Standard can be listed in a non-integral annex entitled "Bibliography" and placed as the last non-integral annex.

### 6.7 Definitions

This is an optional element giving definitions necessary for the understanding of certain terms used in the Recommendation | International Standard.

### ISO/IEC 0001 : 1993(E)

Clause 3 shall start with the following text: "For the purposes of this Recommendation | International Standard, the following definitions apply".

The definitions element (clause 3 of a Recommendation | International Standard) may contain subdivisions. Those subdivisions may contain a list of terms defined in other Recommendations or International Standards. For example, 3.1 could contain the following text: "The following terms are defined in ITU-T Rec. ... | ISO/IEC ...", followed by a list of terms used.

#### 6.8 Abbreviations

If abbreviations are used in the text of the Recommendation | International Standard, this element shall be present, and shall contain a list of all the abbreviations, together with their non-abbreviated forms. The list shall take the form shown in clause 4 of these Presentation Rules and may contain subdivisions.

#### 6.9 Conventions

This element may be present. If present it shall describe any particular notation used in the Recommendation | International Standard.

#### 6.10 Text of the Recommendation | International Standard

Paragraphs of the normal text shall start at the left margin.

#### 6.10.1 Subdivision numbers

Subdivisions shall be numbered with the digits separated by periods. A period shall not be present after a single number (unless required for technical word-processing reasons).

The subdivision number shall appear on a separate line, together with the subdivision title.

NOTE – Numbering should not be used to create a subclause unless there is at least one further subclause at the same level. For example, a piece of text in clause 1 should not be designated subclause 1.1 unless there is also subclause 1.2.

#### 6.10.2 Subdivision titles

The subdivision title shall appear to the right of the subdivision number.

The first letter of the title shall be capitalized. All other words shall not be capitalized unless they are special terms that are capitalized throughout the Recommendation | International Standard in accordance with the conventions given in the Recommendation | International Standard.

#### 6.10.3 Lists

Lists may take one of two forms. The first form is shown below:

- first item;
- second item;
- etc.

The second form is shown below:

- a) first item;
- b) second item;
- c) etc.

Sublists may appear within a list. In this case the list shall take the following form:

- a) first item:
  - 1) first sub-item;
  - 2) second sub-item.
- b) second item:
  - 1) first sub-item;
  - 2) second sub-item.

### 6.10.4 Figures

Each figure shall be referred to explicitly in the text of the Recommendation | International Standard. Figures shall be numbered with Arabic numerals, beginning with 1 (except within annexes; see 6.11 and 6.12). This numbering shall normally be independent of the numbering of the clause and of any tables. For large and complex publications the author may exceptionally number sequentially with respect to the single digit clause number e.g. "Figure 4-3" which denotes the third figure in clause 4. A single figure shall be designated "Figure 1".

The title shall be placed below the figure, centered and preceded by the text "Figure x –", where x is the number of the figure. References in the text to specific figures should use the word "Figure" with an uppercase "F", e.g. "see Figure 1".

The first letter of the title shall be capitalized. All other words shall not be capitalized unless they are special terms that are capitalized throughout the Recommendation | International Standard in accordance with the conventions given in the Recommendation | International Standard. As an example, see Figure 1 below.



**Figure 1 – Example of a figure** 

#### 6.10.5 Tables

Each table shall be referred to explicitly in the text of the Recommendation | International Standard. Tables shall be numbered with Arabic numerals, beginning with 1 (except within annexes; see 6.11 and 6.12). This numbering shall normally be independent of the numbering of the clause and of any figures. For large and complex publications the author may exceptionally number sequentially with respect to the single digit clause number e.g. "Table 4-3" which denotes the third table in clause 4. A single table shall be designated "Table 1".

The title shall be placed above the table, centered and preceded by the text "Table x -", where x is the number of the table. References in the text to specific tables should use the word "Table" with an uppercase "T", e.g. "see Table 1".

The first letter of the title shall be capitalized. All other words shall not be capitalized unless they are special terms that are capitalized throughout the Recommendation | International Standard in accordance with the conventions given in the Recommendation | International Standard.

The first letter in the heading of each column shall be capitalized. Columns shall, if possible, be separated by vertical lines. The heading shall, if possible, be separated from the contents by a horizontal line. The elements of a table shall be framed.

When a table is continued over two or more pages, the following text shall appear on intermediate pages: "Table 1 (*continued*)" and the following text shall appear on the last page: "Table 1 (*concluded*)". Column headings shall be repeated on each page.

#### ISO/IEC 0001 : 1993(E)

#### 6.10.6 Equations and formulas

Equations and formulas are written using the style "Equation" in the template. They shall be numbered consecutively with arabic numerals, beginning with 1 (except within annexes, see 6.11 and 6.12). This numbering shall normally be independent of the numbering of the clause and of any figures or tables. For large and complex publications, the author may exceptionally number sequentially with respect to the single digit clause number, e.g. "(6-1)" which denotes the first equation or formula in clause 6. An example is given below:

$$P_{s} = 2\omega \left[ \sum_{i=1}^{n} \sum_{k=1}^{n} \int_{V} \left( \frac{\mu \vec{H}_{i} \cdot \vec{H}_{k}}{2} - \frac{\varepsilon \vec{E}_{i} \cdot \vec{E}_{k}}{2} \right) d\nu \right]$$
(1)

#### 6.10.7 Notes

Notes integrated in the text of a Recommendation | International Standard may be used only for giving information which is helpful to the understanding of the document. They shall not contain requirements.

Notes should normally be placed after the clause, subclause or paragraph to which they refer.

A single note within a subdivision shall start with the text "NOTE – ", placed at the beginning of the first line of the text of the note. If two or more notes are grouped together, they shall be placed under the title "NOTES", this word being on a line by itself; the text of each note shall then be preceded only by an Arabic numeral at the beginning of its first line. Each group of notes shall be separately numbered, i.e. 1, 2, 3, etc.

If isolated notes occur at separate places within the same numbered sub-division of text, they shall be designated "NOTE 1 -", "NOTE 2 -", "NOTE 3 -", etc.

Alternatively, all notes integrated in the text may be numbered in a continuous sequence throughout the publication.

The first line of all paragraphs of a note shall be indented from the margin of the main text, so that the extent of the note can be correctly understood for printing purposes.

Notes to tables and to figures shall be treated independently from footnotes and notes integrated in the text. They shall be located within the frame of the relevant table or immediately above the title of the relevant figure. A sequence of notes for any table of figure shall always start with a "NOTE 1 -". Such notes may contain requirements.

Some examples of note numbering and layout are given in Annex A.

#### 6.10.8 Use of words

The word "shall" shall be used to express mandatory requirements. The word "may" shall be used to express optional requirements. Although the negative form of "shall" is "shall not", the negative form of "may" is *not* "may not", but is "need not". The use of "may not" shall be avoided.

### 6.11 Integral annexes

Annexes that form an integral part of the Recommendation | International Standard shall appear immediately after the text of the Recommendation | International Standard. The annexes shall be designated A, B, C etc. A single annex shall be designated "Annex A".

The title of the annex shall be immediately followed by the following text, centered: "(This annex forms an integral part of this Recommendation | International Standard.)".

Numbers given to the text elements, tables, figures and equations of an annex shall be preceded by the letter assigned to that annex, e.g. subclause A.2, Figure B.5, equation C.1. The numbering shall start afresh with each annex.

## 6.12 Non-integral annexes

Annexes that do not form an integral part of the Recommendation | International Standard shall appear immediately after the last annex that forms an integral part of the Recommendation | International Standard, or after the text, if there are no annexes that form an integral part of the Recommendation | International Standard. The annexes shall be designated with letters, as specified in 6.11, and follow-on sequentially after the integral annexes.

The title of the annex shall be immediately followed by the following text, centered: "(This annex does not form an integral part of this Recommendation | International Standard.)".

Numbers given to the text elements, tables, figures and equations of an annex shall be preceded by the letter assigned to that annex, e.g. subclause A.2, Figure B.5, equation C.1 The numbering shall start afresh with each annex.

### 6.13 Index

This element is optional, but if included is the last element of the Recommendation | International Standard. The index entries may contain page numbers. However, it is preferable to use the clause or subclause number wich precedes the index term.

An example of an index is provided as the last element of these Presentation Rules. It is not exhaustive.

9

### Annex A Examples of note numbering and layout

(This annex forms an integral part of this Recommendation | International Standard)

### A.1 Example of a single note embedded in main text

A paragraph in the main text may look like this. It begins at the margin, with spacing between a title or paragraph which precedes and with spacing between a title or paragraph which follows.

NOTE – There could be a single note following a paragraph of main text and that note might look like this. The first line of the note is indented.

The second paragraph of a single note also has its first line indented.

Following that note, the main text may continue and once again the main text paragraph begins at the margin. The lonely note which is embedded in the text here does not have a number attached to it because it is the only note in this numbered subdivision.

### A.2 Example of consecutive notes embedded in main text

A paragraph in the main text may look like this. It begins at the margin, with spacing between a title or paragraph which precedes and with spacing between a title or paragraph which follows.

NOTES

1 This is an example of a note which is part of a list of notes. It has a number attached to it and of course the first line is indented.

2 This is an example of the second note in a list of notes. It has the first line indented and the note also contains a second paragraph.

The second paragraph of a note also has its first line indented.

Following the notes the main text may continue and once again the main text paragraph begins at the margin.

#### A.3 Example of several notes embedded in a subdivision but not co-located

A paragraph in the main text may look like this. It begins at the margin, with spacing between a title or paragraph which precedes and with spacing between a title or paragraph which follows.

NOTE 1 – This is the first note which is found in A.3.

Sometimes there are cases where the main text continues after a note, but in the same subdivision there might be additional notes.

NOTE 2 – This is the second note in A.3 and it does not follow directly after NOTE 1. As usual, the first line of this note is indented.

There could even be a second paragraph to this note.

Following the note the main text may start again and once again the main text paragraph begins at the margin.

## Annex B Referencing Recommendations

(This annex forms an integral part of this Recommendation | International Standard)

As a consequence of a reform process within the International Telecommunication Union (ITU), the CCITT ceased to exist as an organization on 28 February 1993 and in its place the Telecommunication Standardization Sector within the ITU has been created. When making reference to Recommendations that had previously used the acronym "CCITT", the following rules are given to help the Editors of common text:

- a) for references in the normative reference list:
  - 1) new Recommendations approved on or after 1 March 1993 will have as a prefix "ITU-T", e.g.

"ITU-T Recommendation X.6 (1993), Multicast service definition"

2) previously existing CCITT Recommendations, modified and approved on or after 1 March 1993 will have as a prefix "ITU-T", but a footnote number will be added to the word "Recommendation" and the footnote text will read "Previously CCITT Recommendation" e.g.

"ITU-T Recommendation<sup>6)</sup> X.218 (1993), Reliable transfer, model and service"

- b) for references within the text:
  - 1) when referring to a specific Recommendation or when using the expression "Recommendation | International Standard", it may not be necessary to use a prefix before the word "Recommendation". However, if a prefix is necessary to replace the previous use of the term "CCITT", the rules in a) above should be followed.
  - 2) previously existing CCITT Recommendations not modified on or after 1 March 1993 will continue to have as prefix "CCITT".

<sup>&</sup>lt;sup>6)</sup> Previously CCITT Recommendation.

## Annex C Deviations with respect to ISO/IEC Directives, Part 3

(This annex does not form an integral part of this Recommendation | International Standard)

## C.1 Differences

These Presentation rules differ from ISO/IEC Directives, Part 3 in the following points:

- notes follow a mixture of ITU-T and ISO/IEC conventions, in order to facilitate work for editors and allow notes to stand out from the main text;
- boiler plate text has been modified in the Normative reference clause;
- single column text will be used in joint ITU-T | ISO/IEC documents.

## C.2 Supplementary information

This list is not exhaustive and is given as an example.

## Annex D Deviations with respect to WTSC Recommendation A.15

(This annex does not form an integral part of this Recommendation | International Standard)

## **D.1** Differences

These Presentation Rules differ from WTSC Recommendation A.15 in the following points:

- table and figure titles and number appear on one line;
- table and figure numbers do not contain the Recommendation number;
- appendices are replaced by annexes which are designated as not forming an integral part of the text.

## **D.2** Supplementary information

This list is not exhaustive and is given as an example.

## Index

NOTE - The number associated with the index entry indicates the clause or subclause where the index entry can be found.

Abbreviations, 4 Conventions, 5 Definitions, 3 General arrangement, 6 Normative references, 6.6 Notes, 6.10.7 Subdivision titles, 6.10.2

## **Appendix III**

## Listing of common text and technically aligned Recommendations | International Standards (or technical reports)

This Appendix lists all common text and technically aligned Recommendations | International Standards (or Technical Reports) approved by *both* organizations as of 31 March 1993. Many Recommendations | International Standards listed in this Appendix are in the process of being updated and many new Recommendations | International Standards are in the process of development; they will be reflected in subsequent issues of these tables after they have been fully approved in *both* organizations. These tables will be kept up-to-date and reissued periodically by the TSB and ITTF.

### **Character Sets**

Recommendation	International Standard	
CCITT Rec. T.50 (1992)*, International Reference Alphabet (IRA)	ISO/IEC 646:1991, Information technology – ISO 7-bit coded character set for information interchange	
* To be published.		

### **Image Compression and Coding**

Recommendation	International Standard		
CCITT Rec. T.81 (1992)*   ISO/IEC 10918-1:*, Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines			
ITU-T Rec. T.82 (1993)*   ISO/IEC 11544:*, Information technology – Coded representation of picture and audio information – Progressive bi-level image compression			
* To be published.			

## **Open Document Architecture (ODA)**

Recommendation	International Standard		
CCITT Rec. T.411 (1992)*   ISO/IEC 8613-1:*, Information technology – Open Document Architecture (ODA) and interchange format: Introduction and general principles			
CCITT Rec. T.412 (1992)*   ISO/IEC 8613-2:*, Information technology – Open Document Architecture (ODA) and interchange format: Document structures			
CCITT Rec. T.414 (1992)*   ISO/IEC 8613-4:*, Information technology – Open Document Architecture (ODA) and interchange format: Document profile			
CCITT Rec. T.415 (1992)*   ISO/IEC 8613-5:*, Information technology – Open Document Architecture (ODA) and interchange format: Open Document Interchange Format (ODIF)			
CCITT Rec. T.416 (1992)*   ISO/IEC 8613-6:*, Information technology – Open Document Architecture (ODA) and interchange format: Character content architectures			
CCITT Rec. T.417 (1992)*   ISO/IEC 8613-7:*, Information technology – Open Document Architecture (ODA) and interchange format: Raster graphics content architectures			
CCITT Rec. T.418 (1992)*   ISO/IEC 8613-8:*, Information technology – Open Document Architecture (ODA) and interchange format: Geometric graphics content architectures			
* To be published.			

## **OSI Model, Services and Protocols**

Recommendation	International Standard
CCITT Rec. X.200 (1988), Reference model of open systems interconnection for CCITT applications	ISO 7498:1984, Information processing systems – Open Systems Interconnection – Basic Reference Model <i>plus</i> Technical Corrigendum 1 (1988)
CCITT Rec. X.208 (1988), Specification of abstract syntax notation one (ASN.1)	ISO/IEC 8824:1990, Information technology – Open Systems Interconnection – Specification of Abstract Syntax Notation One (ASN.1)
CCITT Rec. X.209 (1988), Specification of basic encoding rules for abstract syntax notation one (ASN.1)	ISO/IEC 8825:1990, Information technology – Open Systems Interconnection – Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)
CCITT Rec. X.210 (1988), Open systems interconnection layer service definition conventions	ISO/TR 8509:1987, Information processing systems – Open Systems Interconnection – Service conventions
CCITT Rec. X.211 (1988), Physical service definition of open systems interconnection for CCITT applications <i>plus</i> Corrigendum (1992)	ISO/IEC 10022:1990, Information technology – Open Systems Interconnection – Physical Service Definition
CCITT Rec. X.212 (1988), Data link service definition for open systems interconnection for CCITT applications <i>plus</i> Corrigendum (1992)	ISO/IEC 8886:1992, Information technology – Telecommunications and information exchange between systems – Data link service definition for Open Systems Interconnection
CCITT Rec. X.213 (1992)*   ISO/IEC 8348:*, Information to Interconnection	echnology – Network service definition for Open Systems
CCITT Rec. X.214 (1988), Transport service definition for open systems interconnection for CCITT applications	ISO 8072:1986, Information processing systems – Open Systems Interconnection – Transport service definition
CCITT Rec. X.215 (1988), Session service definition for open systems interconnection for CCITT applications	ISO 8326:1987, Information processing systems – Open Systems Interconnection – Basic connection oriented session service definition
	ISO 8326:1987/Add.2:*, Information processing systems – Open Systems Interconnection – Basic connection oriented session service definition – Addendum 2: Incorporation of unlimited user data
CCITT Rec. X.216 (1988), Presentation service definition for open systems interconnection for CCITT applications	ISO 8822:1988, Information processing systems – Open Systems Interconnection – Connection oriented presentation service definition
* To be published.	

OSI Model,	Services and	Protocols	(concluded)
------------	--------------	-----------	-------------

Recommendation	International Standard	
CCITT Rec. X.217 (1992)*   ISO/IEC 8649:*, Information technology – Open Systems Interconnection – Service definition for the Association Control Service Element		
ITU-T Rec. X.218 (1993) <sup>*</sup> , Reliable transfer: model and service definition	ISO/IEC 9066-1:1989, Information processing systems – Text communication – Reliable Transfer – Part 1: Model and service definition	
CCITT Rec. X.219 (1988), Remote operations: model, notation and service definition	ISO/IEC 9072-1:1989, Information processing systems – Text communication – Remote Operations – Part 1: Model notation and service definition	
CCITT Rec. X.223 (1988), Use of X.25 to provide the OSI connection-mode network service for CCITT applications	ISO/IEC 8878:1987, Information processing systems – Data communications – Use of X.25 to provide the OSI connection-mode network service	
CCITT Rec. X.224 (1988), Transport protocol specification for Open Systems Interconnection for CCITT applications	ISO/IEC 8073:1988, Information processing systems – Open Systems Interconnection – Connection oriented transport protocol specification	
CCITT Rec. X.225 (1988), Session protocol specification for Open Systems Interconnection for CCITT applications	ISO 8327:1987, Information processing systems – Open Systems Interconnection – Basic connection oriented session protocol specification	
	ISO 8327:1987/Add.2:*, Information processing systems – Open Systems Interconnection – Basic connection oriented session protocol specification – Addendum 2: Incorporation of unlimited user data	
CCITT Rec. X.226 (1988), Presentation protocol specification for Open Systems Interconnection for CCITT applications	ISO 8823:1988, Information processing systems – Open Systems Interconnection – Connection oriented presentation protocol specification	
CCITT Rec. X.227 (1992)*   ISO/IEC 8650:*, Information technology – Open Systems Interconnection – Protocol specification for the Association Control Service Element		
CCITT Rec. X.228 (1988), Reliable transfer: Protocol specification	ISO/IEC 9066-2:1989, Information processing systems – Text communication – Reliable Transfer – Part 2: Protocol specification	
CCITT Rec. X.229 (1988), Remote operations: Protocol specification	ISO/IEC 9072-2:1989, Information processing systems – Text communication – Remote Operations – Part 2: Protocol specification	
CCITT Rec. X.237 (1992)*   ISO/IEC 10035:*, Information technology – Open Systems Interconnection – Connectionless protocol specification for the Association Control Service Element		
* To be published.		

## **OSI** Conformance Testing

Recommendation	International Standard
CCITT Rec. X.290 (1992), OSI Conformance testing	ISO/IEC 9646-1:1991, Information technology – Open
methodology and framework for protocol Recommendations	Systems Interconnection – Conformance testing methodology
for CCITT applications – General concepts	and framework – Part 1: General concepts
CCITT Rec. X.291 (1992), OSI conformance testing	ISO/IEC 9646-2:1991, Information technology – Open
methodology and framework for protocol Recommendations	Systems Interconnection – Conformance testing methodology
for CCITT applications – Abstract test suite specification	and framework – Part 2: Abstract test suite specification
CCITT Rec. X.292 (1992) <sup>*</sup> , OSI conformance testing	ISO/IEC 9646-3:1992, Information technology – Open
methodology and framework for protocol Recommendations	Systems Interconnection – Conformance testing methodology
for CCITT applications – The Tree and Tabular Combined	and framework – Part 3: The Tree and Tabular Combined
Notation (TTCN)	Notation (TTCN)
CCITT Rec. X.293 (1992), OSI conformance testing	ISO/IEC 9646-4:1991, Information technology – Open
methodology and framework for protocol Recommendations	Systems Interconnection – Conformance testing methodology
for CCITT applications – Test realization	and framework – Part 4: Test realization
CCITT Rec. X.294 (1992), OSI conformance testing	ISO/IEC 9646-5:1991, Information technology – Open
methodology and framework for protocol Recommendations	Systems Interconnection – Conformance testing methodology
for CCITT applications – Requirements on test laboratories	and framework – Part 5: Requirements on test laboratories and
and clients for the conformance assessment process	clients for the conformance assessment process
* To be published.	·

Message Handling Syster	n (MHS)/Message	<b>Oriented Text</b>	Interchange System	ns (MOTIS)
-------------------------	-----------------	----------------------	--------------------	------------

Recommendation	International Standard
CCITT Rec. F.400/X.400 (1992), Message handling system and service overview	ISO/IEC 10021-1:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 1: System and Service Overview <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
CCITT Rec. X.402 (1992) <sup>*</sup> , Message handling systems: Overall architecture	ISO/IEC 10021-2:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 2: Overall Architecture <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
	ISO/IEC 10021-2:1990/Amd.1:*, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 2: Overall Architecture – Amendment 1: Representation of O/R Addresses for Human Usage
	ISO/IEC 10021-2:1990/Amd.2:*, Information technology – Text Communication Message-Oriented Text Interchange Systems (MOTIS) – Part 2: Overall Architecture – Amendment 2: Minor Enhancements
CCITT Rec. X.407 (1988), Message handling systems: Abstract service definition conventions	ISO/IEC 10021-3:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 3: Abstract Service Definition Conventions <i>plus</i> Technical Corrigendum 1 (1992)
CCITT Rec. X.411 (1992) <sup>*</sup> , Message handling systems: Message transfer system: Abstract service definition and procedures	ISO/IEC 10021-4:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 4: Message Transfer System: Abstract Service Definition and Procedures <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
	ISO/IEC 10021-4:1990/Amd.1:*, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 4: Message Transfer System: Abstract Service Definition and Procedures – Amendment 1: Minor Enhancements
* To be published.	

## Message Handling System (MHS)/Message Oriented Text Interchange Systems (MOTIS) (concluded)

Recommendation	International Standard
CCITT Rec. X.413 (1992) <sup>*</sup> , Message handling systems: Message store: Abstract service definition	ISO/IEC 10021-5:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 5: Message Store: Abstract Service Definition <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
CCITT Rec. X.419 (1992) <sup>*</sup> , Message handling systems: Protocol specifications	ISO/IEC 10021-6:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 6: Protocol Specifications <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
CCITT Rec. X.420 (1992) <sup>*</sup> , Message handling systems: Interpersonal messaging system	ISO/IEC 10021-7:1990, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 7: Interpersonal Messaging System <i>plus</i> Technical Corrigendum 1 (1991), Technical Corrigendum 2 (1991), Technical Corrigendum 3 (1992), and Technical Corrigendum 4 (1992)
	ISO/IEC 10021-7:1990/Amd.1:*, Information technology – Text Communication – Message-Oriented Text Interchange Systems (MOTIS) – Part 7: Interpersonal Messaging System – Amendment 1: Minor Enhancements
* To be published.	

## The Directory

Recommendation	International Standard
CCITT Rec. X.500 (1988), The Directory – Overview of concepts, models and services	ISO/IEC 9594-1:1990, Information technology – Open Systems Interconnection – The Directory – Part 1: Overview of concepts, models and services
CCITT Rec. X.501 (1988), The Directory – Models	ISO/IEC 9594-2:1990, Information technology – Open Systems Interconnection – The Directory – Part 2: Models
CCITT Rec. X.509 (1988), The Directory – Authentication framework	ISO/IEC 9594-8:1990, Information technology – Open Systems Interconnection – The Directory – Part 8: Authentication framework
CCITT Rec. X.511 (1988), The Directory – Abstract service definition	ISO/IEC 9594-3:1990, Information technology – Open Systems Interconnection – The Directory – Part 3: Abstract service definition
CCITT Rec. X.518 (1988), The Directory – Procedures for distributed operation	ISO/IEC 9594-4:1990, Information technology – Open Systems Interconnection – The Directory – Part 4: Procedures for distributed operation
CCITT Rec. X.519 (1988), The Directory – Protocol specifications	ISO/IEC 9594-5:1990, Information technology – Open Systems Interconnection – The Directory – Part 5: Protocol specifications
CCITT Rec. X.520 (1988), The Directory – Selected attribute types	ISO/IEC 9594-6:1990, Information technology – Open Systems Interconnection – The Directory – Part 6: Selected attribute types
CCITT Rec. X.521 (1988), The Directory – Selected object classes	ISO/IEC 9594-7:1990, Information technology – Open Systems Interconnection – The Directory – Part 7: Selected object classes

## **OSI** Networking

Recommendation	International Standard	
CCITT Rec. X.612 (1992)   ISO/IEC 9574:1992, Information technology – Provision of the OSI connection-mode network service by packet-mode terminal equipment connected to an integrated services digital network (ISDN)		
CCITT Rec. X.613 (1992)   ISO/IEC 10588:1993, Information technology – Use of X.25 packet layer protocol in conjunction with X.21/X.21 <i>bis</i> to provide the OSI connection-mode network service		
CCITT Rec. X.614 (1992)   ISO/IEC 10732:1993, Information technology – Use of X.25 packet layer protocol to provide the OS connection-mode network service over the telephone network		

## **OSI Naming, Addressing, and Registration**

Recommendation	International Standard	
CCITT Rec. X.650 (1992), Open Systems Interconnection (OSI) – Reference model for naming and addressing	ISO 7498-3:1989, Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 3: Naming and addressing	
CCITT Rec. X.660 (1992)   ISO/IEC 9834-1:1993, Information technology – Open Systems Interconnection – Procedures for the operation of OSI registration authorities: General procedures		
CCITT Rec. X.665 (1992)*   ISO/IEC 9834-6:*, Information technology – Open Systems Interconnection – Procedures for the operation of OSI registration authorities: Application Processes and Application Entities		
* To be published.		

## **OSI Systems Management**

Recommendation	International Standard	
CCITT Rec. X.700 (1992)*, Management framework for Open Systems Interconnection (OSI) for CCITT applications	ISO/IEC 7498-4:1989, Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 4: Management framework	
CCITT Rec. X.701 (1992)   ISO/IEC 10040:1992, Information technology – Open Systems Interconnection – Systems management overview		
CCITT Rec. X.710 (1991), Common management information service definition for CCITT applications	ISO/IEC 9595:1991, Information technology – Open Systems Interconnection – Common management information service definition	
CCITT Rec. X.711 (1991), Common management information protocol specification for CCITT applications	ISO/IEC 9596-1:1991, Information technology – Open Systems Interconnection – Common management information protocol – Part 1: Specification	
CCITT Rec. X.712 (1992)   ISO/IEC 9596-2:1993, Information t management information protocol: Protocol implementation conf	echnology – Open Systems Interconnection – Common Formance statement (PICS) proforma	
CCITT Rec. X.720 (1992)   ISO/IEC 10165-1:1993, Information management information: Management information model	technology - Open Systems Interconnection - Structure of	
CCITT Rec. X.721 (1992)   ISO/IEC 10165-2:1992, Information technology – Open Systems Interconnection – Structure of management information: Definition of management information		
CCITT Rec. X.722 (1992)   ISO/IEC 10165-4:1992, Information technology – Open Systems Interconnection – Structure of management information: Guidelines for the definition of managed objects		
CCITT Rec. X.730 (1992)   ISO/IEC 10164-1:1993, Information technology – Open Systems Interconnection – Systems management: Object management function		
CCITT Rec. X.731 (1992)   ISO/IEC 10164-2:1993, Information technology – Open Systems Interconnection – Systems management: State management function		
CCITT Rec. X.732 (1992)   ISO/IEC 10164-3:1993, Information technology – Open Systems Interconnection – Systems management: Attributes for representing relationships		
CCITT Rec. X.733 (1992)   ISO/IEC 10164-4:1992, Information technology – Open Systems Interconnection – Systems management: Alarm reporting function		
CCITT Rec. X.734 (1992)   ISO/IEC 10164-5:1993, Information technology – Open Systems Interconnection – Systems management: Event report management function		
CCITT Rec. X.735 (1992)   ISO/IEC 10164-6:1993, Information technology – Open Systems Interconnection – Systems management: Log control function		
CCITT Rec. X.736 (1992)   ISO/IEC 10164-7:1992, Information technology – Open Systems Interconnection – Systems management: Security alarm reporting function		
CCITT Rec. X.740 (1992)   ISO/IEC 10164-8:1993, Information management: Security audit trail function	technology – Open Systems Interconnection – Systems	
* To be published.		

## **OSI Security**

Recommendation	International Standard
CCITT Rec. X.800 (1991), Security architecture for Open Systems Interconnection for CCITT applications	ISO 7498-2:1989, Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 2: Security Architecture

## **OSI Transaction Processing**

Recommendation	International Standard
CCITT Rec. X.860 (1992)*, Distributed Transaction Processing: Model	ISO/IEC 10026-1:1992, Information technology – Open Systems Interconnection – Distributed Transaction Processing – Part 1: Model
CCITT Rec. X.861 (1992)*, Distributed Transaction Processing: Service definition	ISO/IEC 10026-2:1992, Information technology – Open Systems Interconnection – Distributed Transaction Processing – Part 2: Service definition
* To be published.	

Printed in Switzerland Geneva, 1993