



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.665

(08/2004)

SERIES X: DATA NETWORKS AND OPEN SYSTEM
COMMUNICATIONS

OSI networking and system aspects – Naming,
Addressing and Registration

**Information technology – Open Systems
Interconnection – Procedures for the operation
of OSI Registration Authorities: Registration of
application processes and application entities**

ITU-T Recommendation X.665

ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS AND OPEN SYSTEM COMMUNICATIONS

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.369
IP-based networks	X.370–X.399
MESSAGE HANDLING SYSTEMS	X.400–X.499
DIRECTORY	X.500–X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems Management framework and architecture	X.700–X.709
Management Communication Service and Protocol	X.710–X.719
Structure of Management Information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	X.800–X.849
OSI APPLICATIONS	
Commitment, Concurrency and Recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.899
OPEN DISTRIBUTED PROCESSING	X.900–X.999
TELECOMMUNICATION SECURITY	X.1000–

For further details, please refer to the list of ITU-T Recommendations.

**Information technology – Open Systems Interconnection – Procedures for
the operation of OSI Registration Authorities: Registration
of application processes and application entities**

Summary

This Recommendation | International Standard specifies the procedures for registration of application-processes and application-entities.

Source

ITU-T Recommendation X.665 was approved on 22 August 2004 by ITU-T Study Group 17 (2001-2004) under the ITU-T Recommendation A.8 procedure. An identical text is also published as ISO/IEC 9834-6.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure e.g. interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 2005

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	1
3 Definitions	1
3.1 OSI Reference Model terms	2
3.2 Naming and addressing terms	2
3.3 Application Layer Structure terms	2
3.4 Registration-hierarchical-name-tree and object identifier tree terms	2
3.5 Directory terms	2
3.6 ASN.1 terms	2
4 Abbreviations	2
5 General considerations	3
5.1 Introduction	3
5.2 Requirements for registration authorities	3
6 Registration procedures	4
6.1 AP registration procedures	4
6.2 AE registration procedures	4
7 Minimum information requirements	4
8 Technical role	5
9 Maintenance procedures	5

Introduction

This Recommendation | International Standard identifies an administrative role for Registration Authorities for application-process-titles and application-entity qualifiers, based on the procedures for the operation of OSI registration authorities contained in ITU-T Rec. X.660 | ISO/IEC 9834-1. No technical role is defined.

ITU-T Rec. X.650 | ISO/IEC 7498-3, 13.1, specifies the need to assign globally unambiguous names to application-processes and application-entities. The syntactic forms of these titles are specified in ITU-T Rec. X.227 | ISO/IEC 8650.

ITU-T Study Group 17 and ISO/IEC JTC 1/SC 6 are jointly responsible for the syntactic definition of application-processes and application-entities.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology – Open Systems Interconnection – Procedures for
the operation of OSI Registration Authorities: Registration
of application processes and application entities**

1 Scope

This Recommendation | International Standard specifies the procedures applicable to the registration of application-processes and application-entities.

No requirement for an international registration authority has been identified; therefore these procedures apply to registration at any point in the ASN.1 object identifier tree.

This Recommendation | International Standard does not cover the registration of application-process types or application-entity types. No requirement for such registration has been identified.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The basic model.*
- ITU-T Recommendation X.207 (1993) | ISO/IEC 9545:1994, *Information technology – Open Systems Interconnection – Application layer structure.*
- ITU-T Recommendation X.227 (1995) | ISO/IEC 8650-1:1996, *Information technology – Open Systems Interconnection – Connection-oriented protocol for the Association Control Service Element: Protocol specification.*
- ITU-T Recommendation X.501 (2001) | ISO/IEC 9594-2:2001, *Information technology – Open Systems Interconnection – The Directory: Models.*
- ITU-T Recommendation X.650 (1996) | ISO/IEC 7498-3:1997, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing.*
- ITU-T Recommendation X.660 (2004) | ISO/IEC 9834-1:2004, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures.*
- ITU-T Recommendation X.680 (2002) | ISO/IEC 8824-1:2002, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

2.2 Additional references

- ISO/IEC 6523-1:1998, *Information technology – Structure for the identification of organizations and organization parts – Part 1: Identification of organization identification schemes.*
- ISO/IEC 6523-2:1998, *Information technology – Structure for the identification of organizations and organization parts – Part 2: Registration of organization identification schemes.*

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 OSI Reference Model terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.200 | ISO/IEC 7498-1:

- a) application-entity;
- b) application-entity-type;
- c) application-process;
- d) Open Systems Interconnection environment.

3.2 Naming and addressing terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.650 | ISO/IEC 7498-3:

- a) application-entity-title;
- b) application-process-title.

3.3 Application Layer Structure terms

This Recommendation | International Standard uses the following terms defined in ISO/IEC 9545:

- a) application-entity-qualifier;
- b) application-process-type.

3.4 Registration-hierarchical-name-tree and object identifier tree terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.660 | ISO/IEC 9834-1:

- a) International Registration Authority;
- b) primary integer value;
- c) registration;
- d) Registration Authority;
- e) registration-hierarchical-name (RH-name);
- f) registration-hierarchical-name-tree (RH-name-tree);
- g) sponsoring authority.

3.5 Directory terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) distinguished-name;
- b) relative-distinguished-name.

3.6 ASN.1 terms

This Recommendation | International Standard uses the following term defined in ITU-T Rec. X.680 | ISO/IEC 8824-1:

- object identifier.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

AE	Application-entity
AE-qualifier	Application-entity-qualifier
AE-title	Application-entity-title
AP	Application-process

AP-title	Application-process-title
ICD	International Code Designator (as defined in ISO/IEC 6523-1)
OSIE	Open Systems Interconnection Environment
RH-name	Registration Hierarchical name

5 General considerations

5.1 Introduction

5.1.1 ITU-T Rec. X.660 | ISO/IEC 9834-1 defines general procedures for registration that are independent of the object involved. It allows for other Recommendations | International Standards to define procedures that are specific to particular types of objects. This Recommendation | International Standard is concerned with the registration procedures for APs and AEs. All of the clauses of ITU-T Rec. X.660 | ISO/IEC 9834-1 apply to the specification of this Recommendation | International Standard with the exception of clause 7 (International Registration Authorities). ITU-T Rec. X.660 | ISO/IEC 9834-1, clause 7, does not apply because this Recommendation | International Standard does not address registration at the international level.

5.1.2 An AP is identified by an AP-title. An AP-title is a name that is unambiguous throughout the OSIE. The registration of an AP involves the assignment of an AP-title. The procedures defined herein enable the assignment of AP-titles that are unambiguous throughout the OSIE. An AP-title is an ASN.1 object identifier or a Directory Relative Distinguished Name.

5.1.3 Within an AP, an AE is identified by an AE-qualifier. An AE-qualifier is unambiguous within the scope of its AP. The registration of an AE involves the assignment of an AE-qualifier. The procedures defined herein enable the assignment of AE-qualifiers that are unambiguous within the scope of a particular AP. An AP-title is an ASN.1 object identifier or a Directory Relative Distinguished Name.

NOTE – Within the OSIE an AE is identified by an AE-title. An AE-title consists of an AP-title and an AE-qualifier. The registration of an AE does not involve the assignment of its AE-title. Annex A describes how an AE-title is formed from its constituent parts.

5.1.4 This Recommendation | International Standard contains no explicit provisions for the generation of AE-titles (see Annex A). However, an AE-title may be generated by the combination of an AP-title and an AE-qualifier, provided that these components have been assigned in accordance with the rules defined herein. An AE-title generated according to these rules is an instance of an RH-name.

5.1.5 The rules defined in this Recommendation | International Standard apply to registration authorities for (and within) countries and internationally recognized organizations (the latter are organizations which have been assigned an ICD). These rules describe an administrative role for such registration authorities.

NOTE 1 – No requirement has been identified either for a registration authority at the international level or for registration within International Standards.

NOTE 2 – The abstract syntaxes of AP-titles, AE-qualifiers and AE-titles are defined in ITU-T Rec. X.227 | ISO/IEC 8650-1. It defines two syntactic forms for each type of name: an object identifier form and a directory name form. The provisions of this Recommendation | International Standard are aligned with the definitions contained in ITU-T Rec. X.227 | ISO/IEC 8650-1.

5.2 Requirements for registration authorities

NOTE – This subclause describes general requirements applying to registration authorities that are responsible for the registration of either or both AP-titles and AE-qualifiers.

5.2.1 A registration authority which performs the registration of either or both AP-titles and AE-qualifiers in accordance with the procedures in this Recommendation | International Standard shall be either:

- a) a member of a set of registration authorities that assign object identifiers in accordance with the provisions of ITU-T Rec. X.660 | ISO/IEC 9834-1 Annex A, and also a member of a set of registration authorities that assign directory names in accordance with the provisions of ITU-T Rec. X.660 | ISO/IEC 9834-1, Annex B; or
- b) a member of a set of registration authorities that assign both object identifiers and directory names in accordance with the provisions of ITU-T Rec. X.660 | ISO/IEC 9834-1, Annex C.

5.2.2 A registration authority for the registration of an AP may also be responsible for the registration of AE-qualifiers of the AP; however, the latter responsibility may be delegated to subordinate registration authorities.

6 Registration procedures

6.1 AP registration procedures

6.1.1 To register an AP, a registration authority shall assign both an object identifier form and a directory name form of AP-title. The applicant is given the assigned name forms. The registration authority places these names together with additional information as the AP register entry for this AP (see 7.1). This Recommendation | International Standard does not place any requirement on the applicant or the registration authority for propagating or notifying the existence of the register entry.

6.1.2 A registration authority shall assign the object identifier form of AP-titles in accordance with the following rules:

- a) the general provisions for the management of an RH-name-tree which are defined in ITU-T Rec. X.660 | ISO/IEC 9834-1;
- b) the specific provisions for the assignment of object identifiers corresponding to an RH-name-tree which are defined in ITU-T Rec. X.660 | ISO/IEC 9834-1, Annex A.

NOTE – A registration authority shall assign one (or more) object identifier components which, in combination with object identifier components assigned by superior registration authorities, form the object identifier component list for an AP-title.

6.1.3 A registration authority shall assign the directory name form of AP-titles in accordance with the following rules:

- a) the general provisions for the management of an RH-name-tree which are defined in ITU-T Rec. X.660 | ISO/IEC 9834-1;
- b) the specific provisions for the assignment of directory names corresponding to an RH-name-tree which are defined in ITU-T Rec. X.660 | ISO/IEC 9834-1, Annex B.

NOTE – A registration authority shall assign a relative distinguished name which, in combination with the set of relative distinguished names assigned by superior registration authorities, forms a directory name for an AP-title.

6.2 AE registration procedures

6.2.1 To register an AE, the AP that contains the AE must previously have been registered.

6.2.2 The AE registration authority shall assign both an object identifier component and a relative distinguished name form of AE-qualifier. The applicant is given the assigned name forms. The registration authority places these names together with the previously registered AP-title and additional information as the AE register entry for this AE (see 7.2). This Recommendation | International Standard does not place any requirement on the applicant or the registration authority for propagating or notifying the existence of the register entry.

6.2.3 A registration authority shall assign an object identifier component for an AE-qualifier by assigning a primary integer value, unambiguous within the scope of the associated application process: this primary integer value constitutes the object identifier component.

6.2.4 A registration authority shall assign a relative distinguished name form for an AE-qualifier, unambiguous within the scope of the associated application process.

7 Minimum information requirements

7.1 The following information is required for the registration of an application-process:

- a) object identifier assigned to the application-process, as in clause 6;
NOTE – This is the AP-title.
- b) name of applicant;
- c) date of registration;
- d) references to documentation of the application-process;
- e) optionally, cross references to supporting AEs.

7.2 The following information is required for the registration of an application-entity:

- a) AP-title, as in 7.1, for the AP to which the AE-qualifier applies;
- b) qualifier assigned to the AE, as in clause 6;

NOTE – The AE-title is constructed from these two elements as specified in Annex A.

- c) name of applicant;
- d) date of registration;
- e) references to documentation of the AE.

NOTE – The items in 7.1 and 7.2 express the logical requirements separately for clarity. The format of any actual register entry will be defined by the responsible registration authority. Registration authorities may create entries which combine the AP entry with those of all related AEs.

8 Technical role

No technical role is defined.

9 Maintenance procedures

No maintenance procedures have been identified at the international level.

NOTE – Such procedures will be included in the administrative arrangements required locally at or below the level of country or ICD nodes. Since globally unique identifiers may not be re-assigned, even when the associated entity becomes unused, the requirement for maintenance will be limited. Some examples of updating may be cross references between APs and new or discontinued AEs.

Annex A

AE-title generation

(This annex does not form an integral part of this Recommendation | International Standard)

A.1 This Recommendation | International Standard contains no explicit provisions for assignment of AE-titles. An AE-title is generated by the combination of an AP-title and an AE-qualifier, provided that both of these components have been assigned in accordance with the procedures defined herein.

A.2 An object identifier form of AE-title may be constructed by appending the object identifier component form of AE-qualifier (an integer) to the sequence of object identifier components that comprise the object identifier of the associated AP-title. This extended sequence of object identifier components forms the object identifier component list of an object identifier for the AE-title.

A.3 A directory name form of AE-title may be constructed by appending the relative distinguished name form of AE-qualifier to the directory name of the associated AP-title.

A.4 For both forms, an AE-title can be decomposed into its AP-title and AE-qualifier. The final component of an AE-title is equal to the AE-qualifier; the remaining components of the AE-title form the AP-title.

SERIES OF ITU-T RECOMMENDATIONS

Series A	Organization of the work of ITU-T
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Cable networks and transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure, Internet protocol aspects and Next Generation Networks
Series Z	Languages and general software aspects for telecommunication systems